MarinTrust RS V2.0



BYPRODUCT FISHERY ASSESSMENT TEMPLATE REPORT

MarinTrust Ltd, Unit C, Printworks, 22 Amelia Street, London, SE17 3BZ, United Kingdom



TABLE 1 APPLICATION DETAILS AND SUMMARY OF THE ASSESSMENT OUTCOME

	Species: Turbot (Scophthalmus maximus)		
	Geographical area:	FAO 27 North East Atlantic	
Fishery Under Assessment	Country of origin of the product:	France	
	Stock:	Division 3.a (Skagerrak and Kattegat)	
Date	September 2020		
Report Code	2020-134		
Assessor	Virginia Polonio		
Country of origin of the product - PASS	FRANCE		
Country of origin of the product - FAIL	NA		

Application details and summary of the assessment outcome					
Name:					
Address:					
Country: France		Zip:	Zip:		
Tel. No.:		Fax. No.:	Fax. No.:		
Email address:		Applicant Code:	Applicant Code:		
Key Contact:		Title:	Title:		
Certification Body Details					
Name of Certification	Body: SAI GLOBAL				
Assessor Peer Reviewer		Assessment Days	Initial/Surveillance/ Re-approval		
Virginia Polonio	Jim Daly	0.5	SURV 1		
Assessment Period	Assessment Period September 2020				

Scope Details			
Main Species	Turbot (Scophthalmus maximus)		
Stock	Division 3.a (Skagerrak and Kattegat)		
Fishery Location	FAO 27 Northeast Atlantic Ocean		
Management Authority (Country/ State)	Internationally; European union and domestic management; France		
Gear Type(s)	Demersal trawls, seines, gillnets, beam trawls		
Outcome of Assessment			
Peer Review Evaluation	AGREE		
Recommendation	APPROVED		



TABLE 2. ASSESSMENT DETERMINATION

Assessment Determination

If any species is categorised as Endangered or Critically Endangered on IUCN's Red List, or if it appears in the CITES appendices, it cannot be approved for use as MarinTrust raw material. Turbot (*Scophthalmus maximus*) do not appear as Endangered or Critically Endangered on IUCN's Red List, nor do they appear in CITES appendices; therefore, Turbot is eligible for approval for use as MarinTrust by-product raw material.

One stock complex forms part of this assessment:

1) Turbot in the area Division 3.a (Skagerrak and Kattegat)

The turbot stock complex is managed under an EU multiannual plan (MAP) in the North Sea (EU, 2018) and adjacent waters under the framework of the EU Common Fisheries Policy and so is assessed under Clause C.

Fishery removals of the stock complex are included in the stock assessment process then, the stock complex **PASSES** Clause C1.1. The species is considered, in its most recent stock assessment, to have a biomass above the limit reference point so the stock complex **PASSES** Clause C1.2.

In order to be approved, the stock assessed must pass all Clauses in category C. Consequently, as per guidance the stock has passed both clauses.

Therefore Turbot in the area Division 3.a (Skagerrak and Kattegat) is **APPROVED** by SAI Global assessors in the assessment area for the production of fishmeal and fish oil under the current IFFO RS v 2.0 by-products standard.

Peer Review Comments

Exploitable biomass (B/BMSY₂₀₁₉ 35th percentile = 1.09) has remained above the B/BMSY₂₀₁₉ reference point. 35th percentile = 0.95) in 2019. Fishing pressure and stock size status indicators are based on SPiCT analyses. Fishing pressure has been below the proxy reference point in recent years, except in 2019. ICES has not been requested to provide advice on fishing opportunities for this stock for 2021.

PR agrees with the assessment determination.

Notes for On-site Auditor



SPECIES CATEGORISATION

<u>NB:</u> If any species is categorised as Endangered or Critically Endangered on the IUCN Red List, or if it appears in CITES Appendix 1, it **cannot** be approved for use as an MARINTRUST raw material.

IUCN Redlist Category

Byproduct material from a species listed by IUCN (the International Union for Conservation of Nature) under the Red List for the following categories shall immediately fail the assessment;

- EXTINCT (E) AND EXTINCT IN THE WILD (EW)
- CRITICALLY ENDANGERED (CR) facing an extremely high risk of extinction in the wild.
- ENDANGERED (EN) facing a very high risk of extinction in the wild.

Byproduct material may be used from the following categories provided that all clauses in the MarinTrust standard are passed.

- VULNERABLE (VU) facing a high risk of extinction in the wild.
- NEAR THREATENED (NT) does not qualify for above now, but is close or is likely to qualify for, a threatened category in the near future.
- LEAST CONCERN (LC) Widespread and abundant.
- DATA DEFICIENT (DD) and NOT EVALUATED (NE)

TABLE 3 SPECIES CATEGORISATION TABLE

Common name	Latin name	Stock	Management	Category	IUCN Red List Category ¹	CITES Appendix 1 ²
Turbot	Scophthalmus maximus	Division 3.a (Skagerrak and Kattegat)	EU	С	NT	No

¹ https://www.iucnredlist.org/

² https://cites.org/eng/app/appendices.php



CATEGORY C SPECIES

In a by-product assessment, Category C species are those which are subject to a species-specific management regime and are usually targeted species in fisheries for human consumption.

Clause C1 should be completed for **each** Category C species. If there are no Category C species in the fishery under assessment, this section can be deleted. Where a species fails this Clause, it may be assessed as a Category D species instead, EXCEPT if there is evidence that it is currently below the limit reference point.

Spe	Species Name Turbot, Scophthalmus maximus				
C1	Category C Stock Status - Minimum Requirements				
CI	C1.1	Fishery removals of the species in the fishery under assess assessment process, OR are considered by scientific autho			
	C1.2	The species is considered, in its most recent stock assessment the limit reference point (or proxy), OR removals by the fis considered by scientific authorities to be negligible.			
			Clause outcome: PASS		

C1.1 Fishery removals of the species in the fishery under assessment are included in the stock assessment process, OR are considered by scientific authorities to be negligible.

Input data used in the stock assessment are: commercial catches (international landings) and a combination of surveys, including the beam trawl survey (BTS), the North Sea International Bottom Trawl Survey (NS-IBTS), the Baltic International Trawl, Survey (BITS), and two Danish national surveys (TN and TOR) covering Division 3.a. (ICES, 2020a).

Discarding is also considered and it is related to the size of the fish. There is no minimum landing size (MLS) at the EU level; however, the minimum landing size is 30 cm in Denmark and most recorded discards are below this value.


Therefore, fishery removals of the species in the fishery under assessment are included in the stock assessment process and the fishery achieves **PASSES** in clause C1.1.

C1.2 The species is considered, in its most recent stock assessment, to have a biomass above the limit reference point (or proxy), OR removals by the fishery under assessment are considered by scientific authorities to be negligible.

The latest ICES advice was posted in June 2020. ICES has not been requested to provide advice on fishing opportunities for this stock for 2021.

In the last report, catches peaked in the late 1970s and early 1990s and have been more stable in recent years. Exploitable biomass (B/BMSY) declined towards 2000, with no trend in later years. Fishing pressure (F/FMSY) peaked in the late 1970s and early 1990s, with no trend in more recent years. The exploitable biomass (B/BMSY; 35th percentile) has remained above the B/BMSY reference point. The fishing pressure (F/FMSY; 65th percentile) has been below the reference point in recent years, except in 2019 (Figure 1)








Figure 1. Turbot in Division 3.a. Summary of the stock assessment that includes the period 1975—2019. Relative exploitable biomass (B/BMSY) and relative fishing pressure (F/FMSY) are estimated at the end of each year. Landings below minimum conservation reference size (BMS) are those officially reported. Source: ICES 2020

Therefore, the species is considered, in its most recent stock assessment, to have a biomass above the limit reference point (or proxy). Hence, the fishery **PASSES** clause C1.2.

References

Munroe, T., Costa, M., Nielsen, J., Herrera, J., de Sola, L., Rijnsdorp, A.D. & Keskin, Ç. 2015. Scophthalmus maximus. The IUCN Red List of Threatened Species 2015: e.T198731A45790581. Downloaded on 17 September 2020.

ICES. 2020. Turbot (Scophthalmus maximus) in Division 3.a (Skagerrak and Kattegat). In Report of the ICES Advisory Committee, 2020. ICES Advice 2020, tur.27.3a. https://doi.org/10.17895/ices.advice.6102.

Links	
MARINTRUST Standard clause	1.3.2.2
FAO CCRF	7.5.3
GSSI	D.3.04, D5.01



SOCIAL CRITERION

In addition to the scored criteria listed above, applicants must commit to ensuring that vessels operating in the fishery adhere to internationally recognised guidance on human rights. They must also commit to ensuring there is no use of enforced or unpaid labour in the fleet(s) operating upon the resource.

Appendix A - Determining Resilience Ratings

The assessment of Category B species described in this assessment report template utilises a resilience rating system suggested by the American Fisheries Society. This approach was chosen because it is also used by FishBase, and so the resilience ratings for many thousands of species are freely available online. As described by FishBase, the following is the process used to arrive at the resilience ratings:

"The American Fisheries Society (AFS) has suggested values for several biological parameters that allow classification of a fish population or species into categories of high, medium, low and very low resilience or productivity (Musick 1999). If no reliable estimate of r_m (see below) is available, the assignment is to the lowest category for which any of the available parameters fits. For each of these categories, AFS has suggested thresholds for decline over the longer of 10 years or three generations. If an observed decline measured in biomass or numbers of mature individuals exceeds the indicated threshold value, the population or species is considered vulnerable to extinction unless explicitly shown otherwise. If one sex strongly limits the reproductive capacity of the species or population, then only the decline in the limiting sex should be considered. We decided to restrict the automatic assignment of resilience categories in the Key Facts page to values of K, t_m and t_{max} and those records of fecundity estimates that referred to minimum number of eggs or pups per female per year, assuming that these were equivalent to average fecundity at first maturity (Musick 1999). Note that many small fishes may spawn several times per year (we exclude these for the time being) and large live bearers such as the coelacanth may have gestation periods of more than one year (we corrected fecundity estimates for those cases reported in the literature). Also, we excluded resilience estimates based on r_m (see below) as we are not yet confident with the reliability of the current method for estimating rm. If users have independent r_m or fecundity estimates, they can refer to Table 1 for using this information."

Parameter	High	Medium	Low	Very low
Threshold	0.99	0.95	0.85	0.70
r _{max} (1/year)	> 0.5	0.16 - 0.50	0.05 - 0.15	< 0.05
K (1/year)	> 0.3	0.16 - 0.30	0.05 - 0.15	< 0.05
Fecundity (1/year)	> 10,000	100 - 1000	10 - 100	< 10
t _m (years)	< 1	2 - 4	5 - 10	> 10
t _{max} (years)	1 - 3	4 - 10	11 - 30	> 30

[Taken from the FishBase manual, "Estimation of Life-History Key Facts", http://www.fishbase.us/manual/English/key%20facts.htm#resilience]



Appendix B: From MARINTRUST Standard V2.0 Annex 2: Fish By-product Assessment Methodology

Definition of a Fish By-product

A by-product is a useful and marketable product that is not the primary product being produced. A marketable by-product is from a process that can technically not be avoided. This includes materials that may be traditionally defined as waste such as industrial scrap that is subsequently used as a raw material in a different manufacturing process.

"Fish By-products" refers to commodities that are manufactured from fish, including shellfish, and crustaceans in a form that is different than conventional foods and which are intended for human consumption (either directly or as a food ingredient). Fish By-products include, but are not limited to:

- By-products derived from fish, including fish cartilage, fish oils, and fish proteins; and
- By-products derived from the carapaces of crustaceans; but do not include marine plants or marine plant products.

(Canadian Food Inspection Agency Definition)

In addition, a whole fish which is rejected on an intrinsic quality ground e.g. does not meet the specification for human consumption due to physical damage or the quality is substandard. These whole fish shall in these cases be classified as a by-product from the human consumption fishery, and can be used for marine ingredients production.

A whole catch of fish that is rejected by a fish processing factory on economic grounds is not considered to be a fish by-product. This fish can only be used for marine ingredients production if the fishery has been assessed and approved under the requirements of the IFFO Responsible Sourcing Standard.

Why utilise Fish By-products?

FAO Code of Conduct for Responsible Fisheries

General Principles Article 6

6.7 The harvesting, handling, processing and distribution of fish and fishery products should be carried out in a manner which will maintain the nutritional value, quality and safety of the products, reduce waste and minimize negative impacts on the environment.

Responsible fish utilisation Article 11.1

11.1.8 States should encourage those involved in fish processing, distribution and marketing to reduce post-harvest losses and waste.

Benefits of Including Fish By-Products in the MARINTRUST Standard:

- 1. Improved fish resource utilisation
- 2. Reduction in waste for nutritional value
- 3. 35% of fish by-products are currently used to make quality fishmeal and oil
- 4. Excellent Economic return
- 5. Better compliance with FAO Code of Conduct for Responsible Fisheries



What Fish By-products cannot be used?

1. IUCN

Fishery By-products shall Not be taken from a species listed by IUCN (the International Union for Conservation of Nature) under the Red List for certain categories;

- EXTINCT (E) AND EXTINCT IN THE WILD (EW)
- CRITICALLY ENDANGERED (CR) facing an extremely high risk of extinction in the wild.
- ENDANGERED (EN) facing a very high risk of extinction in the wild.

Fish By-product material may be used from the vulnerable category, but it shall incur a fishery surveillance conducted by the certification body prior to it being included in the scope of this standard.

• VULNERABLE (VU) facing a high risk of extinction in the wild.

The Fish By-product material from these species will be acceptable for use in the scope of this standard:

- NEAR THREATENED (NT) does not qualify for above now, but is close or is likely to qualify for, a threatened category in the near future.
- LEAST CONCERN (LC) Widespread and abundant.

Fish By-product material may be used from the following category, but it shall incur a fishery surveillance prior to it being included in the scope of this standard;

DATA DEFICIENT (DD) and NOT EVALUATED (NE)

The fishery surveillance conducted by the certification body will review the following areas:

Stock Assessment

- From a recognised Institution
- Fisheries are recognised as legal
- Fisheries do not contradict scientific opinion

2. FAO Code of Conduct for Responsible Fisheries

In addition the Fish By-products shall not come from fisheries that do not comply with the following criteria;

- 1. Fisheries should prohibit dynamiting, poisoning and other comparable destructive fishing practices.
- **2.** Fishery material shall not be from IUU fishing activity nor sourced from vessels officially listed as engaging in illegal, unreported and unregulated (IUU) fishing activity.

Sources of Information

- 1. Food Standards Agency
- 2. Canadian Food Inspection Agency
- 3. DEFRA

Fishery Assessment TEMPLATE April 2020

Marin Rose Ostration of the Control of the Control

- **4.** GAA Feed mill BAP standard
- **5.** EU Commission
- **6.** IUCN