

# MarinTrust RS V2.0



## BYPRODUCT FISHERY ASSESSMENT TEMPLATE REPORT

MarinTrust Ltd, Unit C, Printworks, 22 Amelia Street, London, SE17 3BZ, United Kingdom

TABLE 1 APPLICATION DETAILS AND SUMMARY OF THE ASSESSMENT OUTCOME

<b>Fishery Under Assessment</b>	<b>Species:</b>	Black bream/seabream ( <i>Spondyliosoma cantharus</i> )
	<b>Geographical area:</b>	FAO27 Atlantic Northeast
	<b>Country of origin of the product:</b>	France
	<b>Stock:</b>	ICES Divisions 4a-c, 6a, 7a,b,d-h,j
<b>Date</b>	November 2020	
<b>Report Code</b>	188-2020	
<b>Assessor</b>	Virginia Polonio	
<b>Country of origin of the product - PASS</b>	FRANCE	
<b>Country of origin of the product - FAIL</b>	NA	

Application details and summary of the assessment outcome			
<b>Name:</b>			
Address:			
Country: France		Zip:	
Tel. No.:		Fax. No.:	
Email address:		Applicant Code:	
Key Contact:		Title:	
Certification Body Details			
Name of Certification Body: SAI Global			
Assessor	Peer Reviewer	Assessment Days	Initial/Surveillance/ Re-approval
Virginia Polonio	Géraldine Criquet	0.5	Re-approval
<b>Assessment Period</b>		November 2020	

Scope Details	
<b>Main Species</b>	Black bream/seabream ( <i>Spondyliosoma cantharus</i> )
<b>Stock</b>	ICES Divisions 4a-c, 6a, 7a,b,d-h,j
<b>Fishery Location</b>	FAO 27 Atlantic Northeast
<b>Management Authority (Country/ State)</b>	European Union and Direction des Pêches Maritimes et de l'Aquaculture
<b>Gear Type(s)</b>	Trawls
Outcome of Assessment	
<b>Peer Review Evaluation</b>	Agree with Recommendation
<b>Recommendation</b>	<b>APPROVED</b>

**TABLE 2. ASSESSMENT DETERMINATION**

Assessment Determination
<p>If any species is categorised as Endangered or Critically Endangered on IUCN’s Red List, or if it appears in the CITES appendices, it cannot be approved for use as IFFO RS raw material. Black bream/seabream (<i>Spondyliosoma cantharus</i>) do not appear as Endangered or Critically Endangered on IUCN’s Red List, nor do they appear in CITES appendices; therefore, Black bream/seabream is eligible for approval for use as IFFO RS by-product raw material.</p> <p>The stock structure is unknown and no assessment is known to be conducted. A management unit is considered within English Channel and Celtic Sea (Pawson, 1995). There is no agreed management plan for Black bream/seabream in this area and no reference points are defined for this stock.</p> <p>Consequently, the lack of scientific information on the stock status induced the use of the risk-assessment style approach. Therefore, the stock has been assessed under category D.</p> <p>Hence, Black bream/seabream (<i>Spondyliosoma cantharus</i>) is <b>APPROVED</b> by SAI Global assessors in the assessment area for the production of fishmeal and fish oil under the current IFFO RS v 2.0 by-products standard.</p>
Peer Review Comments
<p>The stock is not subject to a specific management regime and there is no stock assessment conducted. Therefore, the species has been classified as Category D.</p> <p>The peer reviewer agrees with the outcome of the risk-assessment and with the recommendation made by the assessor.</p>
Notes for On-site Auditor
Empty space for notes

## SPECIES CATEGORISATION

**NB:** If any species is categorised as Endangered or Critically Endangered on the IUCN Red List, or if it appears in CITES Appendix 1, it **cannot** be approved for use as an MARINTRUST raw material.

### IUCN Redlist Category

Byproduct material from a species listed by IUCN (the International Union for Conservation of Nature) under the Red List for the following categories shall immediately fail the assessment;

- EXTINCT (E) AND EXTINCT IN THE WILD (EW)
- CRITICALLY ENDANGERED (CR) facing an extremely high risk of extinction in the wild.
- ENDANGERED (EN) facing a very high risk of extinction in the wild.

Byproduct material may be used from the following categories provided that all clauses in the MarinTrust standard are passed.

- VULNERABLE (VU) facing a high risk of extinction in the wild.
- NEAR THREATENED (NT) does not qualify for above now, but is close or is likely to qualify for, a threatened category in the near future.
- LEAST CONCERN (LC) Widespread and abundant.
- DATA DEFICIENT (DD) and NOT EVALUATED (NE)

TABLE 3 SPECIES CATEGORISATION TABLE

Common name	Latin name	Stock	Management	Category	IUCN Red List Category <sup>1</sup>	CITES Appendix 1 <sup>2</sup>
Black bream/seabream	<i>Spondyliosoma cantharus</i>	ICES Divisions 4a-c, 6a, 7a,b,d-h,j	EU and France	D	NT	No

<sup>1</sup> <https://www.iucnredlist.org/>

<sup>2</sup> <https://cites.org/eng/app/appendices.php>

## CATEGORY D SPECIES

Category D species are those which make up less than 5% of landings and are not subject to a species-specific management regime. In the case of mixed trawl fisheries, Category D species may make up the majority of landings. The comparative lack of scientific information on the status of the population of the species means that a risk-assessment style approach must be taken.

D1	Species Name	Black bream/seabream ( <i>Spondyliosoma cantharus</i> )	
	Productivity Attribute	Value	Score
	Average age at maturity (years)	2.4	2
	Average maximum age (years)	9.5	1
	Fecundity (eggs/spawning)	72,895 [ 36,926-143,900 ] Estimated as geometric mean.	1
	Average maximum size (cm)	60	2
	Average size at maturity (cm)	19.7	1
	Reproductive strategy	nonguarders	2
	Mean trophic level	3.3	3
	<b>Average Productivity Score</b>		<b>1.71</b>
	Susceptibility Attribute	Value	Score
	Overlap of adult species range with fishery	Not scored	
	Distribution	(figure 1)- Limited range in the region	2
	Habitat	Found over seagrass beds and rocky and sandy bottoms	2
	Depth range	5-300*	2
	Selectivity	Species >2 times mesh or up to 4 m	3
	Post-capture mortality	Most dead	3
	<b>Average Susceptibility Score</b>		<b>2.4</b>
	<b>PSA Risk Rating (From Table D3)</b>		<b>Pass</b>
	<b>Compliance rating</b>		<b>PASS</b>

\* more conservative score is used it.

### References



Figure 1. Distribution of the stock. Source: Fishbase.org

Russell, B., Pollard, D. & Carpenter, K.E. 2014. *Spondyliosoma cantharus*. The IUCN Red List of Threatened Species 2014: e.T170258A1303321. <https://dx.doi.org/10.2305/IUCN.UK.2014-3.RLTS.T170258A1303321.en>. Downloaded on 19 November 2020.

[https://www.fishsource.org/stock\\_page/1079](https://www.fishsource.org/stock_page/1079)

<https://www.fishbase.se/Summary/SpeciesSummary.php?ID=1356&AT=Black+Seabream>

*Standard clauses 1.3.2.2*

Table D2 - Productivity / Susceptibility attributes and scores.

Productivity attributes	Low productivity/ High risk	Medium productivity/ Medium risk	High productivity/ Low risk
	Score 3	Score 2	Score 1
Average age at maturity (years)	>4	2 to 4	<2
Average maximum age (years)	>30	10 to 30	<10
Fecundity (eggs/spawning)	<1 000	1 000 to 10 000	>10 000
Average maximum size (cm)	>150	60 to 150	<60
Average size at maturity (cm)	>150	30 to 150	<30
Reproductive strategy	Live bearer, mouth brooder or significant parental investment	Demersal spawner "berried"	Broadcast spawner
Mean trophic level	>3.25	2.5–3.25	<2.5

Susceptibility attributes		High susceptibility/ High risk	Medium susceptibility/ Medium risk	Low susceptibility/ Low risk
		Score 3	Score 2	Score 1
Availability	1) Overlap of adult species range with fishery	>50% of stock occurs in the area fished	Between 25% and 50% of the stock occurs in the area fished	<25% of stock occurs in the area fished
	2) Distribution	Only in the country/ fishery	Limited range in the region	Throughout region/ global distribution
Encounterability	1) Habitat	Habitat preference of species make it highly likely to encounter trawl gear (e.g. demersal, muddy/sandy bottom)	Habitat preference of species make it moderately likely to encounter trawl gear (e.g. rocky bottom/reefs)	Depth or distribution of species make it unlikely to encounter trawl gear (e.g. epi-pelagic or meso-pelagic)
	2) Depth range	High overlap with trawl fishing gear (20 to 60 m depth)	Medium overlap with trawl fishing gear (10 to 20 m depth)	Low overlap with trawl fishing gear (0 to 10 m, >70 m depth)
Selectivity		Species >2 times mesh size or up to 4 m length	Species 1 to 2 times mesh size or 4 to 5 m length	Species <mesh size or >5 m length
Post capture mortality		Most dead or retained Trawl tow >3 hours	Alive after net hauled Trawl tow 0.5 to 3 hours	Released alive Trawl tow <0.5 hours

**Note:** Availability 2 is only used when there is no information for Availability 1; the most conservative score between Encounterability 1 and 2 is used.

D3		Average Susceptibility Score		
		1 - 1.75	1.76 - 2.24	2.25 - 3
Average Productivity Score	1 - 1.75	PASS	PASS	PASS
	1.76 - 2.24	PASS	PASS	TABLE D4
	2.25 - 3	PASS	TABLE D4	TABLE D4

D4	Species Name	
	<b>Impacts On Species Categorized as Vulnerable by D1-D3 - Minimum Requirements</b>	
D4.1	The potential impacts of the fishery on this species are considered during the management process, and reasonable measures are taken to minimise these impacts.	
D4.2	There is no substantial evidence that the fishery has a significant negative impact on the species.	
<b>Outcome:</b>		
<b>Evidence</b>		
D4.1: The potential impacts of the fishery on this species are considered during the management process, and reasonable measures are taken to minimise these impacts.		
D4.2 There is no substantial evidence that the fishery has a significant negative impact on the species.		
<b>References</b>		
<b>Links</b>		
MARINTRUST Standard clause	1.3.2.2, 4.1.4	
FAO CCRF	7.5.1	
GSSI	D.5.01	



## SOCIAL CRITERION

In addition to the scored criteria listed above, applicants must commit to ensuring that vessels operating in the fishery adhere to internationally recognised guidance on human rights. They must also commit to ensuring there is no use of enforced or unpaid labour in the fleet(s) operating upon the resource.

## Appendix B: From MARINTRUST Standard V2.0 Annex 2: Fish By-product Assessment Methodology

### Definition of a Fish By-product

A by-product is a useful and marketable product that is not the primary product being produced. A marketable by-product is from a process that can technically not be avoided. This includes materials that may be traditionally defined as waste such as industrial scrap that is subsequently used as a raw material in a different manufacturing process.

"Fish By-products" refers to commodities that are manufactured from fish, including shellfish, and crustaceans in a form that is different than conventional foods and which are intended for human consumption (either directly or as a food ingredient). Fish By-products include, but are not limited to:

- By-products derived from fish, including fish cartilage, fish oils, and fish proteins; and
- By-products derived from the carapaces of crustaceans; but do not include marine plants or marine plant products.

(Canadian Food Inspection Agency Definition)

In addition, a whole fish which is rejected on an intrinsic quality ground e.g. does not meet the specification for human consumption due to physical damage or the quality is substandard. These whole fish shall in these cases be classified as a by-product from the human consumption fishery, and can be used for marine ingredients production.

A whole catch of fish that is rejected by a fish processing factory on economic grounds is not considered to be a fish by-product. This fish can only be used for marine ingredients production if the fishery has been assessed and approved under the requirements of the IFFO Responsible Sourcing Standard.

### Why utilise Fish By-products?

#### FAO Code of Conduct for Responsible Fisheries

##### General Principles Article 6

**6.7** The harvesting, handling, processing and distribution of fish and fishery products should be carried out in a manner which will maintain the nutritional value, quality and safety of the products, reduce waste and minimize negative impacts on the environment.

##### Responsible fish utilisation Article 11.1

**11.1.8** States should encourage those involved in fish processing, distribution and marketing to reduce post-harvest losses and waste.

#### Benefits of Including Fish By-Products in the MARINTRUST Standard:

1. Improved fish resource utilisation
2. Reduction in waste for nutritional value
3. 35% of fish by-products are currently used to make quality fishmeal and oil
4. Excellent Economic return
5. Better compliance with FAO Code of Conduct for Responsible Fisheries

#### What Fish By-products cannot be used?

## 1. IUCN

Fishery By-products shall Not be taken from a species listed by IUCN (the International Union for Conservation of Nature) under the Red List for certain categories;

- EXTINCT (E) AND EXTINCT IN THE WILD (EW)
- CRITICALLY ENDANGERED (CR) facing an extremely high risk of extinction in the wild.
- ENDANGERED (EN) facing a very high risk of extinction in the wild.

Fish By-product material may be used from the vulnerable category, but it shall incur a fishery surveillance conducted by the certification body prior to it being included in the scope of this standard.

- VULNERABLE (VU) facing a high risk of extinction in the wild.

The Fish By-product material from these species will be acceptable for use in the scope of this standard;

- NEAR THREATENED (NT) does not qualify for above now, but is close or is likely to qualify for, a threatened category in the near future.
- LEAST CONCERN (LC) Widespread and abundant.

Fish By-product material may be used from the following category, but it shall incur a fishery surveillance prior to it being included in the scope of this standard;

- DATA DEFICIENT (DD) and NOT EVALUATED (NE)

The fishery surveillance conducted by the certification body will review the following areas:

### Stock Assessment

- From a recognised Institution
- Fisheries are recognised as legal
- Fisheries do not contradict scientific opinion

## 2. FAO Code of Conduct for Responsible Fisheries

In addition the Fish By-products shall not come from fisheries that do not comply with the following criteria;

1. Fisheries should prohibit dynamiting, poisoning and other comparable destructive fishing practices.
2. Fishery material shall not be from IUU fishing activity nor sourced from vessels officially listed as engaging in illegal, unreported and unregulated (IUU) fishing activity.

### Sources of Information

1. Food Standards Agency
2. Canadian Food Inspection Agency
3. DEFRA
4. GAA Feed mill BAP standard
5. EU Commission

**6. IUCN**