

MarinTrust Standard V2

By-product Fishery Assessment Report Template (Whiting, Merlangius merlangus in ICES Division 6.a)

MarinTrust Programme

Unit C, Printworks 22 Amelia Street London

E: standards@marin-trust.com

T: +44 2039 780 819



Table 1 Application details and summary of the assessment outcome

	Species:	Whiting (Merlangius merlangus)
	Geographical area:	FAO Area 27 North East Atlantic
Fishery Under Assessment	Country of origin of the product:	Denmark
	Stock:	Whiting in ICES Division 6.a (West of Scotland)
Date	8 February 2022	
Report Code	BP027	
Assessor	Geraldine Criquet	
Country of origin of the product - PASS	Denmark	
Country of origin of the product - FAIL	NA	

Application details and	d summary of the assess	sment outcome	
Company Name(s): Sk	agen		
Country: Denmark			
Email address:		Applicant Cod	e:
Certification Body Det	ails		
Name of Certification	Body:	Global Trust C	ertification
Assessor	Peer Reviewer	Assessment Days	Initial/Surveillance/ Re-approval
Geraldine Criquet	Ivan Mateo	0.5	Re-approval
Assessment Period	To February 2022		

Scope Details	
Main Species	Whiting (Merlangius merlangus)
Stock	Whiting in ICES Division 6.a (West of Scotland)
Fishery Location	FAO Area 27 Northeast Atlantic Ocean
Management Authority (Country/ State)	European Union / Denmark management authority
Gear Type(s)	Finfish directed otter trawl, <i>Nephrops</i> directed otter trawl, and others
Outcome of Assessment	
Peer Review Evaluation	Agree with the assessor's recommendation
Recommendation	APPROVED

Table 2. Assessment Determination

Assessment Determination

If any species is categorised as Endangered or Critically Endangered on IUCN's Red List, or if it appears in the CITES appendices, it cannot be approved for use as Marin Trust raw material. Whiting (*Merlangius merlangus*) is neither listed as Endangered or Critically Endangered on IUCN's Red List, nor listed in CITES appendices; therefore, whiting is eligible for approval for use as Marin Trust by-product raw material.

An EU multiannual management plan (MAP) for stocks in Western waters and adjacent waters take into account bycatch of this stock. Note that there is no agreement with U.K. regarding this stock. Reference points are defined for the stock. Therefore, it was assessed under category C.

Fishery removals are included in the stock assessment process, it PASSES Clause C1.1. The stock is considered, in its most recent stock assessment, to have a biomass above the limit reference point, it PASSES Clause C1.2.

Therefore, whiting in ICES Division 6.a (West of Scotland) is **APPROVED** for the production of fishmeal and fish oil under the current Marin Trust v 2.0 by-products.

Fishery Assessment Peer Review Comments

The assessor correctly classified the whiting in ICES Division 6.a (West of Scotland) as category C, the stock is managed, and reference points are defined to assess the stock status against. Fishery removals from the stock are considered in the stock assessment process. The most recent stock assessment shows that the stock is considered to have a biomass well above the limit reference point. Therefore, whiting in ICES Division 6.a (West of Scotland) fishery passes both C1.1 and C1.2 and therefore the whiting in ICES Division 6.a (West of Scotland) is approved

Notes for On-site Auditor	
NA	



Species Categorisation

NB: If any species is categorised as Endangered or Critically Endangered on the IUCN Red List, or if it appears in CITES Appendix 1, it **cannot** be approved for use as an MarinTrust raw material.

IUCN Red list Category

By-product material from a species listed by IUCN (the International Union for Conservation of Nature) under the Red List for the following categories shall immediately fail the assessment;

- EXTINCT (E) AND EXTINCT IN THE WILD (EW)
- CRITICALLY ENDANGERED (CR) facing an extremely high risk of extinction in the wild.
- ENDANGERED (EN) facing a very high risk of extinction in the wild.

By-product material may be used from the following categories provided that all clauses in the MarinTrust standard are passed.

- VULNERABLE (VU) facing a high risk of extinction in the wild.
- NEAR THREATENED (NT) does not qualify for above now, but is close or is likely to qualify for, a threatened category in the near future.
- LEAST CONCERN (LC) Widespread and abundant.
- DATA DEFICIENT (DD) and NOT EVALUATED (NE)

Table 3 Species Categorisation Table

Common name	Latin name	Stock	Management	Category	IUCN Red List Category ¹	CITES Appendix 1 ²
Whiting	Merlangius merlangus	Whiting in ICES Division 6.a (West of Scotland)	European Union / Denmark management authority	С	LC	No

¹ https://www.iucnredlist.org/

² https://cites.org/eng/app/appendices.php

CATEGORY C SPECIES

In a by-product assessment, Category C species are those which are subject to a species-specific management regime and are usually targeted species in fisheries for human consumption.

Clause C1 should be completed for each Category C species. If there are no Category C species in the fishery under assessment, this section can be deleted. Where a species fails this Clause, it should be assessed as a Category D species instead.

Spe	cies	Name	Whiting (Merlangius merlangus)	
C1	Catego	ory C Stock Sta	atus - Minimum Requirements	
CI	C1.1	,	ovals of the species in the fishery under assessment are included in the stock assessment	Yes
		process, OR	are considered by scientific authorities to be negligible.	
	C1.2		s considered, in its most recent stock assessment, to have a biomass above the limit	Yes
		reference po	int (or proxy), OR removals by the fishery under assessment are considered by scientific	
		authorities to	o be negligible.	
			Clause outcome:	DACC

C1.1 Fishery removals of the species in the fishery under assessment are included in the stock assessment process, OR are considered by scientific authorities to be negligible.

The stock assessment type is an age-based analytical model (SAM) that uses catches (commercial landings, estimated discards, age composition of catches) in the model and the forecast. Catches are presented in Figure 1.

Therefore, fishery removals of the stock, including from the fishery under assessment, are included in the stock assessment process, it PASSES Clause C1.1




Figure 1. Whiting in ICES Subarea 4 and in Division 7.d. Long-term trends in catches.

C1.2 The species is considered, in its most recent stock assessment, to have a biomass above the limit reference point (or proxy), OR removals by the fishery under assessment are considered by scientific authorities to be negligible.

The spawning-stock size is above MSY B_{trigger}, B_{pa} and B_{lim} (Figure 2).

Therefore, the stock is considered, in its most recent stock assessment, to have a biomass above the limit reference point, **C1.2** is met.






Figure 2. Whiting in ICES Division 6.a. Spawning stock biomass.

References

Whiting (Merlangius merlangus) in Division 6.a (West of Scotland). In Report of the ICES Advisory Committee, 2021. ICES Advice 2021, whg.27.6a. https://doi.org/10.17895/ices.advice.8220.

https://www.ices.dk/sites/pub/Publication%20Reports/Advice/2021/2021/whg.27.6a.pdf

Nedreaas, K., Florin, A., Cook, R., Fernandes, P. & Lorance, P. 2014. *Merlangius merlangus. The IUCN Red List of Threatened Species* 2014: e.T198585A45097610. https://dx.doi.org/10.2305/IUCN.UK.2014-3.RLTS.T198585A45097610.en. Accessed on 08 February 2022.

https://www.iucnredlist.org/species/198585/45097610

Links	
MarinTrust Standard clause	1.3.2.2
FAO CCRF	7.5.3
GSSI	D.3.04, D5.01



CATEGORY D SPECIES

Category D species are those which are not subject to a species-specific management regime. In the case of mixed trawl fisheries, Category D species may make up the majority of landings. The comparative lack of scientific information on the status of the population of the species means that a risk-assessment style approach must be taken.

1 Species Name		
Productivity Attribute	Value	Score
Average age at maturity (years)		
Average maximum age (years)		
Fecundity (eggs/spawning)		
Average maximum size (cm)		
Average size at maturity (cm)		
Reproductive strategy		
Mean trophic level		
	Average Productivity Score	
Susceptibility Attribute	Value	Score
Overlap of adult species range with fishery		
Distribution		
Habitat		
Depth range		
Selectivity		
Post-capture mortality		
	Average Susceptibility Score	
	PSA Risk Rating (From Table D3)	
	Compliance rating	
ferences		
andard clauses 1.3.2.2		



Table D2 - Productivity / Susceptibility attributes and scores.

Productivity attributes	Low productivity/ High risk	Medium productivity/ Medium risk	High productivity Low risk
	Score 3	Score 2	Score 1
Average age at maturity (years)	>4	2 to 4	<2
Average maximum age (years)	>30	10 to 30	<10
Fecundity (eggs/spawning)	<1 000	1 000 to 10 000	>10 000
Average maximum size (cm)	>150	60 to 150	<60
Average size at maturity (cm)	>150	30 to 150	<30
Reproductive strategy	Live bearer, mouth brooder or significant parental investment	Demersal spawner "berried"	Broadcast spawner
Mean trophic level	>3.25	2.5-3.25	<2.5

Susceptibility attributes		High susceptibility/ High risk	Medium susceptibility/ Medium risk	Low susceptibility/ Low risk		
			Score 3	Score 2	Score 1	
Availability	1)	Overlap of adult species range with fishery	>50% of stock occurs in the area fished	Between 25% and 50% of the stock occurs in the area fished	<25% of stock occurs in the area fished	
	2)	Distribution	Only in the country/ fishery	Limited range in the region	Throughout region/ global distribution	
Encounterability	1)	Habitat	Habitat preference of species make it highly likely to encounter trawl gear (e.g. demersal, muddy/sandy bottom)	Habitat preference of species make it moderately likely to encounter trawl gear (e.g. rocky bottom/reefs)	Depth or distribution of species make it unlikely to encounter trawl gear (e.g. epi-pelagic or meso-pelagic)	
	2)	Depth range	High overlap with trawl fishing gear (20 to 60 m depth)	Medium overlap with trawl fishing gear (10 to 20 m depth)	Low overlap with trawl fishing gear (0 to 10 m, >70 m depth)	
Selectivity			Species >2 times mesh size or up to 4 m length	Species 1 to 2 times mesh size or 4 to 5 m length	Species <mesh or<br="" size="">>5 m length</mesh>	
Post capture mortality			Most dead or retained Trawl tow >3 hours	Alive after net hauled Trawl tow 0.5 to 3 hours	Released alive Trawl tow <0.5 hours	

Note: Availability 2 is only used when there is no information for Availability 1; the most conservative score between Encounterability 1 and 2 is used.



D3		Average Susceptibility Score			
		1 - 1.75	1.76 - 2.24	2.25 - 3	
Average Productivity	1 - 1.75	PASS	PASS	PASS	
Score	1.76 - 2.24	PASS	PASS	TABLE D4	
	2.25 - 3	PASS	TABLE D4	TABLE D4	

D4	Species Name Impacts On Species Categorised as Vulnerable by D1-D3 - Minimum Requirements					
	D4.1	1 '	of the fishery on this species are considered during the management e measures are taken to minimise these impacts.			
	D4.2	There is no substantial species.	evidence that the fishery has a significant negative impact on the			
			Outcome:			
	-	ential impacts of the fis easures are taken to mini	hery on this species are considered during the management process, a mise these impacts.	nd		
reasor	nable me	easures are taken to mini		nd		
reasor	nable me	easures are taken to mini	mise these impacts.	nd		
reasor D4.2 T	nable me	easures are taken to mini	mise these impacts.	nd		
D4.2 T Refere	nable mo	easures are taken to mini	mise these impacts.	nd		
D4.2 T Refere	There is rences	easures are taken to mini no substantial evidence t	mise these impacts. nat the fishery has a significant negative impact on the species.	nd		