

MarinTrust Standard V2

By-product Fishery Assessment Report – Yellowfin Tuna FAO Areas 77 and 87

MarinTrust Programme

Unit C, Printworks 22 Amelia Street London SE17 3BZ

E: standards@marin-trust.com

T: +44 2039 780 819



Table 1 Application details and summary of the assessment outcome.

	Species:	Yellowfin Tuna, Thunnus albacares			
	Geographical area:	FAO 77 (Pacific, Eastern Central)			
	Geographical area.	FAO 87 (Pacific, Southeast)			
Fishery Under Assessment	Country of origin of the product:	Spain and Portugal (Flag Country)			
		Western Central Pacific Ocean (WCPO)			
	Stock:	Yellowfin Tuna			
		Eastern Pacific Ocean (EPO) Yellowfin Tuna			
Date	April 21 2022				
Report Code	ESP01				
Assessor	Ivan Mateo, Ph.D.				
Country of origin of the	Spain and Portugal (Flag Country)				
product - PASS	Spain and Fortagai (Flag Country)				
Country of origin of the	NA				
product - FAIL	1471				

Application details and summary of the assessment outcome							
Company Name(s): Sa	rval Bio-Industries Nord	oeste S.A.U., Hij	os De Emilio Ramirez S.A.				
Country: Spain							
Email address:		Applicant Code	e:				
Certification Body Deta	ails						
Name of Certification I	Body:	Global Trust Co	ertification				
		A	Initial/Surveillance/				
Assessor	Peer Reviewer	Assessment Days	Re-approval				
Ivan Mateo, Ph.D.	van Mateo, Ph.D. Vito Romito 0.5 Surveillance 2						
Assessment Period							

Scope Details	
Main Species	Yellowfin Tuna, Thunnus albacares
Stock	Western Central Pacific Ocean (WCPO) Yellowfin Tuna Eastern Pacific Ocean (EPO) Yellowfin Tuna
Fishery Location	FAO 77 (Pacific, Eastern Central) and 87 (Pacific, Southeast)
Management Authority (Country/ State)	The Western and Central Pacific Fisheries Commission (WCPFC) and the Inter-American Tropical Tuna Commission (IATTC).
Gear Type(s)	Longlines and purse seines
Outcome of Assessment	
Peer Review Evaluation	APPROVED
Recommendation	APPROVED

Table 2. Assessment Determination

Assessment Determination

If any species is categorised as Endangered or Critically Endangered on IUCN's Red List, or if it appears in the CITES appendices, it cannot be approved for use as Marin Trust raw material. Yellowfin Tuna does not appear as Endangered or Critically Endangered on IUCN's Red List, nor does it appear in CITES appendices; therefore, product originating from this fishery is eligible for approval for use as Marin Trust by-product raw material.

Yellowfin Tuna (*Thunnus albacares*) is listed on the IUCN Red List as globally Near Threatened (NT) and is not listed in CITES such that yellowfin derived products are eligible for approval for use as MarinTrust by-product raw material.

For assessment and management purposes, two discrete stocks of yellowfin are recognised in the Pacific Ocean delimited based on their being east and west of 150oW longitude:

- 1. Western Central Pacific Ocean (WCPO) yellowfin (west of 150oW), managed via the Western and Central Pacific Fisheries Commission (WCPFC).
- 2. Eastern Pacific Ocean (EPO) yellowfin (east of 150oW), managed by the Inter-American Tropical Tuna Commission (IATTC).

FAO areas 77 and 87 have their western boundary at 175°W such that Yellowfin Tuna taken in these areas may come from either of the Western Central Pacific or Eastern Pacific stocks; therefore, both stocks are considered in this assessment.

Fishery removals of both Pacific Yellowfin Tuna stocks are considered in their respective stock assessment processes such that the fishery PASSES Clause C1.1.

As of the latest assessments, both stocks are considered to have a biomass above their respective limit reference points such that the fishery PASSES Clause C1.2.

As both Clause C1.1 and C1.2 are met, the by-product covered by this report is APPROVED for the production of fishmeal and fish oil under the current Marin Trust v 2.0 Standard for by-products.

Fishery Assessment Peer Review Comments

The peer reviewer agrees with the assessment of yellowfin tuna as a category C. Catch information is used in the assessment of the Western Central Pacific and Eastern Pacific stocks. Based 2020 stock assessment, the stock is considered to be above the limit reference point defined by management. The yellowfin tuna in assessment here shall be APPROVED for the production of fishmeal and fish oil under the current Marin Trust v 2.0 Standard for by-products.



Species Categorisation

NB: If any species is categorised as Endangered or Critically Endangered on the IUCN Red List, or if it appears in CITES Appendix 1, it **cannot** be approved for use as an MarinTrust raw material.

IUCN Red list Category

By-product material from a species listed by IUCN (the International Union for Conservation of Nature) under the Red List for the following categories shall immediately fail the assessment;

- EXTINCT (E) AND EXTINCT IN THE WILD (EW)
- CRITICALLY ENDANGERED (CR) facing an extremely high risk of extinction in the wild.
- ENDANGERED (EN) facing a very high risk of extinction in the wild.

By-product material may be used from the following categories provided that all clauses in the MarinTrust standard are passed.

- VULNERABLE (VU) facing a high risk of extinction in the wild.
- NEAR THREATENED (NT) does not qualify for above now, but is close or is likely to qualify for, a threatened category in the near future.
- LEAST CONCERN (LC) Widespread and abundant.
- DATA DEFICIENT (DD) and NOT EVALUATED (NE)

Table 3 Species Categorisation Table

Common name	Latin name	Stock	Management	Category	IUCN Red List Category ¹	CITES Appendix 1 ²
Yellowfin Tuna	Thunnus albacares	WCPO and EPO Yellowfin Tuna	WCPFC and IATTC	С	Globally: Near Threatened (NT)	No

¹ https://www.iucnredlist.org/

² https://cites.org/eng/app/appendices.php

CATEGORY C SPECIES

In a by-product assessment, Category C species are those which are subject to a species-specific management regime and are usually targeted species in fisheries for human consumption.

Clause C1 should be completed for each Category C species. If there are no Category C species in the fishery under assessment, this section can be deleted. Where a species fails this Clause, it should be assessed as a Category D species instead.

Spe	ecies	Name	Yellowfin Tuna						
C1	Category C Stock Status - Minimum Requirements								
CI	C1.1 Fishery removals of the species in the fishery under assessment are included in the stock assessment Pass								
		process, OR	are considered by scientific authorities to be negligible.						
	C1.2 The species is considered, in its most recent stock assessment, to have a biomass above the limit Pass								
	reference point (or proxy), OR removals by the fishery under assessment are considered by scientific								
		authorities t	o be negligible.						
			Clause outcome:	Dacc					

C1.1 Fishery removals of the species in the fishery under assessment are included in the stock assessment process, OR are considered by scientific authorities to be negligible.

Western Central Pacific Yellowfin Tuna Fishery removals of the species in the fishery under assessment are included in the stock assessment process via Western and Central Pacific Fisheries Commission (WCPFC) processes Eastern Pacific Yellowfin Tuna Catches of tunas within the IATTC area of competence are reported to the IATTC (e.g., IATTC, 2020) and these catches are subsequently included in the IATTC stock assessment process.

Therefore, fishery removals of both stocks of relevance to this assessment are included in their respective stock assessment processes such that the fishery **PASSES** Clause C1.1.

C1.2 The species is considered, in its most recent stock assessment, to have a biomass above the limit reference point (or proxy), OR removals by the fishery under assessment are considered by scientific authorities to be negligible.

Western Central Pacific Yellowfin Tuna. The most recent stock assessment for WCPO yellowfin was carried out in 2020 (Vincent et al., 2020). The WCPFC has adopted 20% of the unfished spawning potential (20%SBF=0) as a LRP for this stock. Stock status is evaluated by estimating SBrecent/SBF=0 and SBlatest/SBF=0, where SBlatest and SBrecent are the estimated spawning potential in 2018 and the mean over 2015-2018, respectively. Kobe Plots presented in Vincent et al. (2020), show that the status of WCP Yellowfin Tuna not being overfished and overfishing is not occurring. therefore, the stock is considered, in its most recent stock assessment, to be above the limit reference point defined by management.




Figure 1. Kobe plot for the recent spawning potential (2015–2018) summarizing the results for each of the models in the structural uncertainty grid. The plots represent estimates of stock status in terms of spawning biomass depletion and fishing mortality relative to MSY quantities and marginal distributions of each are presented with the median of the structural uncertainty grid displayed as a brown triangle



EPO Yellowfin Tuna

In 2020 the IATTC scientific staff completed new benchmark stock assessments for EPO Yellowfin Tuna. These assessments were conducted within a new risk analysis framework instead of the previous "best assessment" approach. The risk analysis framework employs "...a variety of reference models ... to represent plausible alternative hypotheses about the biology of the fish, the productivity of the stocks, and/or the operation of the fisheries, thus effectively incorporating uncertainty into the management advice as it is formulated."

The risk analysis is divided into: (1) an assessment of the current status of the stock; and (2) an evaluation of the consequences of alternative management actions, specifically modifying the duration of the temporal closure of the purse-seine fishery, currently 72 days.

Current status relative to a reference point was calculated as a weighted average of the point estimates of the ratio from each of the alternative stock assessment models, with weights equal to the relative model probabilities (equal to the expected value under the normal distribution assumption made for each model). The probability of exceeding a reference point was calculated using the cumulative distribution functions (CDFs) for the ratios of Fcur and Scur relative to the reference points for each of the alternative models, which are then combined using the model probabilities.

For yellowfin, considering the relative weights of the different models and their combined distributions for the management parameters, there is only a 9% probability that the fishing mortality corresponding to the maximum sustainable yield (FMSY) has been exceeded5 (P(Fcur>FMSY) = 9%, **Table 1**). There is a 12% probability that the spawning stock biomass corresponding to the maximum sustainable yield (SMSY) has been breached (P(Scur<SMSY) = 12%, **Table 1**). The probability that the F and S limit reference points have been exceeded is zero (P(Scur<SLIMIT) = 0%; P(Fcur>FLIMIT) = 0%; **Table 1**).

	TABLE	ABLE 1. Management quantities for yellowfin tuna in the EPO. See explanation of codes in Table A.												
		$E(x)$ is the expected value. P=0.5: median of the distributions of $P(S_{cur}/S_{MSY})$ and $P(F_{cur}/F_{MSY})$.												
	A.	Proportio	nal	B. Der	isity depe	ndence	C. Tir	me block r	middle	D. Tin	ne block e	nd	Combined	
	Base-A	EstGro-A	EstSel-A	Base-B	EstGro-B	EstSel-B	Base-C	EstGro-C	EstSel-C	Base-D	EstGro-D	EstSel-D	E(x)	P=0.5
P (Model)	0.01	0.05	0.06	0.03	0.13	0.09	0.05	0.10	0.24	0.03	0.06	0.14	1.00	
Fishing mor	rtality (F	F)												
F _{cur} /F _{MSY}	1.24	0.95	0.69	1.01	0.65	0.55	0.93	0.72	0.47	0.79	0.72	0.73	0.67	0.65
$P(F_{cur}>F_{MSY})$	0.88	0.37	0.05	0.46	0.03	0.01	0.32	0.07	0.00	0.13	0.08	0.09	0.09	
F _{cur} /F _{LIMIT}	0.46	0.45	0.31	0.38	0.32	0.25	0.38	0.35	0.22	0.33	0.33	0.31	0.30	
$P(F_{cur}>F_{LIMIT})$	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Spawning b	iomass	(S)												
Scur/SMSY_d	0.78	1.07	1.48	1.01	1.60	1.74	1.09	1.48	2.02	1.31	1.48	1.40	1.57	1.58
$P(S_{cur} < S_{MSY})$	0.93	0.41	0.07	0.48	0.04	0.08	0.34	0.06	0.03	0.15	0.09	0.11	0.12	
Scur/SLIMIT	1.87	1.96	2.60	2.62	3.24	3.70	2.33	2.53	3.25	2.99	2.94	3.08	2.98	
P(Scur <slimit)< td=""><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td></td></slimit)<>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

To be consistent with the probabilistic nature of the risk analysis and the HCR, the black dot on the Kobe plot representing the combined models is based on P(Scur/SMSY < x) = 0.5 and P(Fcur/FMSY > x) = 0.5




Figure 2. Kobe (phase) plot of the time series of estimates of spawning stock size (S) and fishing mortality (F) of Yellowfin Tuna relative to their MSY reference points. The colored panels are separated by the target reference points (SMSY and FMSY). Limit reference points (dashed lines), which correspond to a 50% reduction in recruitment from



its average unexploited level, based on a conservative steepness (h) of 0.75 for the Beverton-Holt stock-recruitment relationship, are merely indicative, since they vary by model and are based on all models combined. The center point for each model indicates the current stock status, based on the average fishing mortality (F) over the last three years; The solid black circle represents all models combined; to be consistent with the probabilistic nature of the risk analysis and the HCR, it is based on P(Scur/SLIMIT< x) = 0.5 and P(Fcur/FMSY>x) = 0.5. The lines around each estimate represent its approximate 95% confidence interval.

Based on the above the stock is considered, in its most recent stock assessment, to be above the limit reference point defined by management. Therefore, the 2 stocks considered, in its most recent stock assessment, to have a biomass above the limit reference point and it **PASSES** C1.2

References

Vincent M, N, Ducharme-Barth, P. Hamer, J. Hampton, P. Williams, G. Pilling 2020 Stock assessment of Yellowfin Tuna in the western and central Pacific Ocean WCPFC-SC16-2020/SA-WP-04 (Rev.3).

Aires-da-Silva A, M. N. Maunder, H. Xu, C. Minte-Vera, J.L. Valero, C. E. Lennert-Cody 2020 Risk Analysis for Management of the Tropical Tuna Fishery in the Eastern Pacific Ocean IATTC DOCUMENT SAC-11-08 REV.

Links						
MarinTrust Standard clause	1.3.2.2					
FAO CCRF	7.5.3					
GSSI	D.3.04, D5.01					



CATEGORY D SPECIES

Category D species are those which are not subject to a species-specific management regime. In the case of mixed trawl fisheries, Category D species may make up the majority of landings. The comparative lack of scientific information on the status of the population of the species means that a risk-assessment style approach must be taken.

D1	Species Name			
	Productivity Attribut	e	Value	Score
	Average age at maturity (years)			
	Average maximum age (years)			
	Fecundity (eggs/spawning)			
	Average maximum size (cm)			
	Average size at maturity (cm)			
	Reproductive strategy			
	Mean trophic level			
			Average Productivity Score	
	Susceptibility Attribu	te	Value	Score
	Availability (area overlap)			
	Encounterability (the position of the s	tock/species		
	within the water column relative to the	ne fishing gear)		
	Selectivity of gear type			
	Post-capture mortality			
			Average Susceptibility Score	
		F	PSA Risk Rating (From Table D3)	
			Compliance rating	
	Further justification for susceptibility For susceptibility attributes, please pr uncertainty affecting your decision			e there may be
Refere	nces			
Standa	ird clauses 1.3.2.2			



Table D2 - Productivity / Susceptibility attributes and scores.

Productivity attributes	Low productivity/ High risk	Medium productivity/ Medium risk	High productivity Low risk
	Score 3	Score 2	Score 1
Average age at maturity (years)	>4	2 to 4	<2
Average maximum age (years)	>30	10 to 30	<10
Fecundity (eggs/spawning)	<1 000	1 000 to 10 000	>10 000
Average maximum size (cm)	>150	60 to 150	<60
Average size at maturity (cm)	>150	30 to 150	<30
Reproductive strategy	Live bearer, mouth brooder or significant parental investment	Demersal spawner "berried"	Broadcast spawner
Mean trophic level	>3.25	2.5-3.25	<2.5

Susceptibility attributes		High susceptibility/ High risk	Medium susceptibility/ Medium risk	Low susceptibility/ Low risk		
			Score 3	Score 2	Score 1	
Availability	Overlap of adult species range with fishery		>50% of stock occurs in the area fished	Between 25% and 50% of the stock occurs in the area fished	<25% of stock occurs in the area fished	
	2)	Distribution	Only in the country/ fishery	Limited range in the region	Throughout region/ global distribution	
Encounterability	1)	Habitat	Habitat preference of species make it highly likely to encounter trawl gear (e.g. demersal, muddy/sandy bottom)	Habitat preference of species make it moderately likely to encounter trawl gear (e.g. rocky bottom/reefs)	Depth or distribution of species make it unlikely to encounter trawl gear (e.g. epi-pelagic or meso-pelagic)	
	2)	Depth range	High overlap with trawl fishing gear (20 to 60 m depth)	Medium overlap with trawl fishing gear (10 to 20 m depth)	Low overlap with trawl fishing gear (0 to 10 m, >70 m depth)	
Selectivity			Species >2 times mesh size or up to 4 m length	Species 1 to 2 times mesh size or 4 to 5 m length	Species <mesh or<br="" size="">>5 m length</mesh>	
Post capture mortality			Most dead or retained Trawl tow >3 hours	Alive after net hauled Trawl tow 0.5 to 3 hours	Released alive Trawl tow <0.5 hours	

Note: Availability 2 is only used when there is no information for Availability 1; the most conservative score between Encounterability 1 and 2 is used.



D3		Average Susceptibility Score				
		1 - 1.75	1.76 - 2.24	2.25 - 3		
Average Productivity	1 - 1.75	PASS	PASS	PASS		
Score	1.76 - 2.24	PASS	PASS	TABLE D4		
	2.25 - 3	PASS	TABLE D4	TABLE D4		

D4	Spe	cies Name		
	Impacts On Species Categorised as Vulnerable by D1-D3 - Minimum Requirements			
	D4.1	The potential impacts of the fishery on this species are considered during the management process, and reasonable measures are taken to minimise these impacts.		
	D4.2 There is no substantial evidence that the fishery has a significant negative impact on the species.		е	
			Outcome:	
	The pot	ential impacts of the fi easures are taken to mir	shery on this species are considered during the management process limise these impacts.	s, and
D4.1: reason	The pot	easures are taken to mir		s, and
D4.1: reason	The pot nable me	easures are taken to mir	nimise these impacts.	s, and
D4.1: reason D4.2 T	The pot nable me	easures are taken to mir	nimise these impacts.	s, and
D4.1: reason D4.2 T Refere	The pot nable mo	easures are taken to mir	nimise these impacts.	s, and
D4.1: reason D4.2 T Refere	The pot nable mo	easures are taken to mir	that the fishery has a significant negative impact on the species.	s, and