



MarinTrust Standard V2

By-product Fishery Assessment Whiting in ICES Subarea 4 & Division 7d

MarinTrust Programme Unit C, Printworks 22 Amelia Street London SE17 3BZ E: <u>standards@marin-trust.com</u> T: +44 2039 780 819



Table 1 Application details and summary of the assessment outcome

	Species:	Whiting (Merlangius merlangus)	
	Geographical area:	ICES Subarea 4 & Division 7d	
Fishery Under Assessment	Country of origin of the product:	France	
	Stock:	Whiting in the North Sea and Eastern English Channel	
Date	December 2022		
Report Code	FRA45		
Assessor	Sam Peacock		
Country of origin of the product - PASS	France		
Country of origin of the product - FAIL	None		

Application details and	l summary of the assess	ment outcome		
Company Name(s): Bl	OCEVAL SAS: Concarnea	au; Copalis Indu	strie	
Country: France				
Email address: <u>info@b</u> info@copalis.fr	ioceval.de;	Applicant Code	e:	
Certification Body Details				
Name of Certification Body:		LRQA		
Assessor Peer Reviewer		Assessment Days	Initial/Surveillance/ Re-approval	
Sam Peacock	Kate Morris	0.25	Surveillance 1	
Assessment Period	sessment Period D		– December 2023	

Scope Details	
Main Species	Whiting (Merlangius merlangus)
Stock	Whiting in the North Sea and Eastern English Channel
Fishery Location	ICES Subarea 4 & Division 7d
Management Authority	EU
(Country/ State)	EU
Gear Type(s)	Bottom trawl; lines; gillnets
Outcome of Assessment	
Peer Review Evaluation	Pass
Recommendation	Approve for use as MT raw material

Marine Ingredients Certifications Ltd (09357209) | Doc FISH1- Issued October 2022 – Version 2.3 | Approved by Libby Woodhatch Controlled Copy- No unauthorised copying or alteration permitted



Table 2. Assessment Determination

Assessment Determination

Whiting has been categorised by the IUCN as a species of Least Concern and does not appear in the CITES appendices. Whiting in Subarea 4 and Division 7d is managed relative to target and limit reference points using an annual quota, and was assessed under Category C.

This whiting stock is subject to an annual assessment by ICES, the most recent of which was carried out in 2022. The assessment utilised catch, bycatch and discard data, and concluded that stock biomass is substantially larger than the target and limit reference point levels. This by-product therefore continues to meet the MT requirements and should remain approved for use as a raw material.

Fishery Assessment Peer Review Comments

The by-product fishery under assessment here is Whiting (*Merlangius merlangus*) fishery, pursued by French fishing vessels in FAO fishing area 27, ICES subdivision 4 and 7d. Whiting is managed by the EU Common Fisheries Policy and the French government, in French waters, and the UK fisheries act in the UK. For this Marin Trust assessment, the Whiting stock is scored as a category C species as it's managed to species specific reference points.

The species scoring table has been completed by the auditor with sufficient evidence presented to support their final determination.

The peer review supports the auditor's recommendation to the ICES 27, Sub4 and 7d, Whiting stock pursued by the fishery under the Marin Trust IFFO RS v2.0 by-fishery standard for the production of fishmeal and fish oil.

Notes for On-site Auditor



Species Categorisation

NB: If any species is categorised as Endangered or Critically Endangered on the IUCN Red List, or if it appears in CITES Appendix 1, it **cannot** be approved for use as an MarinTrust raw material.

IUCN Red list Category

By-product material from a species listed by IUCN (the International Union for Conservation of Nature) under the Red List for the following categories shall immediately fail the assessment;

- EXTINCT (E) AND EXTINCT IN THE WILD (EW)
- CRITICALLY ENDANGERED (CR) facing an extremely high risk of extinction in the wild.
- ENDANGERED (EN) facing a very high risk of extinction in the wild.

By-product material may be used from the following categories provided that all clauses in the MarinTrust standard are passed.

- VULNERABLE (VU) facing a high risk of extinction in the wild.
- NEAR THREATENED (NT) does not qualify for above now, but is close or is likely to qualify for, a threatened category in the near future.
- LEAST CONCERN (LC) Widespread and abundant.
- DATA DEFICIENT (DD) and NOT EVALUATED (NE)

Table 3 Species Categorisation Table

Common name	Latin name	Stock	Management	Category	IUCN Red List Category ¹	CITES Appendix 1 ²
Whiting	Merlangius merlangus	North Sea and Eastern English Channel	Yes	С	Least Concern ³	No

¹ <u>https://www.iucnredlist.org/</u>

² https://	/cites org/	eng/	ann/	appendices.php	
nups./	/ CILES. OI g/	Clig/	app	appendices.php	

³ https://www.iucnredlist.org/species/198585/45097610

Marine Ingredients Certifications Ltd (09357209) | Doc FISH1- Issued October 2022 – Version 2.3 | Approved by Libby Woodhatch Controlled Copy- No unauthorised copying or alteration permitted



CATEGORY C SPECIES

In a by-product assessment, Category C species are those which are subject to a species-specific management regime and are usually targeted species in fisheries for human consumption.

Clause C1 should be completed for each Category C species. If there are no Category C species in the fishery under assessment, this section can be deleted. Where a species fails this Clause, it should be assessed as a Category D species instead.

Spe	ecies	Name	Whiting	
C 1	Catego	or <mark>y C Stock St</mark> a	atus - Minimum Requirements	
CI	C1.1		ovals of the species in the fishery under assessment are included in the stock assessment are considered by scientific authorities to be negligible.	PASS
	C1.2	reference po	s considered, in its most recent stock assessment, to have a biomass above the limit int (or proxy), OR removals by the fishery under assessment are considered by scientific o be negligible.	PASS
			Clause outcome:	PASS


C1.1 Fishery removals of the species in the fishery under assessment are included in the stock assessment process, OR are considered by scientific authorities to be negligible.

Whiting in Subarea 4 and Division 7d is subject to an annual stock assessment conducted by the ICES Working Group on the Assessment of Demersal Stocks in the North Sea and Skagerrak (WGNSSK). The results of the most recent stock assessment along with the associated catch recommendation were published in June 2022. The stock assessment utilised an age-based analytical model which incorporated catches, discards and bycatch (ICES 2022). The 2022 catch advice mentions that discarding is significant but included in the stock assessment. There are no reported concerns over completeness of data. Fishery removals are included in the stock assessment process and C1.1 is met.

C1.2 The species is considered, in its most recent stock assessment, to have a biomass above the limit reference point (or proxy), OR removals by the fishery under assessment are considered by scientific authorities to be negligible.

The 2022 catch advice provides an indication of the status of the whiting stock relative to the established reference points. Target reference points MSY B_{trigger}, B_{pa}, and MAP MSY B_{trigger} are set at 148,888t. Limit reference points B_{lim} and MAP B_{lim} are set at 107,146t. The stock assessment produced a short-term biomass forecast for 2023 and projected SSB will be 294,175t. The 2022 catch advice states that "spawning-stock size is above MSY B_{trigger}, B_{pa}, and B_{lim}" (ICES 2022). Stock size is estimated by the most recent assessment to be substantially larger than the target and limit reference points, and C1.2 is met.







CATEGORY D SPECIES

Category D species are those which are not subject to a species-specific management regime. In the case of mixed trawl fisheries, Category D species may make up the majority of landings. The comparative lack of scientific information on the status of the population of the species means that a risk-assessment style approach must be taken.

D1					
	Productivity Attribut	e Value	Score		
	Average age at maturity (years)				
	Average maximum age (years)				
	Fecundity (eggs/spawning)				
	Average maximum size (cm)				
	Average size at maturity (cm)				
	Reproductive strategy				
	Mean trophic level				
		Average Productivity Score			
	Susceptibility Attribu	e Value	Score		
	Availability (area overlap)				
	Encounterability (the position of the s				
	within the water column relative to the	e fishing gear)			
	Selectivity of gear type				
	Post-capture mortality				
		Average Susceptibility Score			
		PSA Risk Rating (From Table D3)			
		Compliance rating			
	Further justification for susceptibility				
		ovide a brief rationale for scoring of parameters wh	ere there may be		
	uncertainty affecting your decision				
Refere	nces				
Stando	ard clauses 1.3.2.2				
5141144					



Table D2 - Productivity / Susceptibility attributes and scores.

Productivity attributes	High productivity (Low risk, score = 1)	Medium productivity (medium risk, score = 2)	Low productivity (high risk, score = 3)
Average age at maturity	<5 years	5-15 years	>15 years
Average maximum age	<10 years	10-25 years	>25 years
Fecundity	>20,000 eggs per year	100-20,000 eggs per year	<100 eggs per year
Average maximum size	<100 cm	100-300 cm	>300 cm
Average size at maturity	<40 cm	40-200 cm	>200 cm
Reproductive strategy	Broadcast spawner	Demersal egg layer	Live bearer
Mean Trophic Level	<2.75	2.75-3.25	>3.25

Susceptibility attributes		ow susceptibility .ow risk, score = 1)		edium susceptibility nedium risk, score = 2)		igh susceptibility igh risk, score = 3)
Areal overlap (availability) Overlap of the fishing effort with the species range	<1	0% overlap	10	-30% overlap		0% overlap
Encounterability The position of the stock/species within the water column relative to the fishing gear, and the position of the stock/species within the habitat relative to the position of the gear	fis	w overlap with hing gear (low counterability).		edium overlap with hing gear.	fis en De	gh overlap with hing gear (high counterability). efault score for rget species
Selectivity of gear type	а	Individuals < size at maturity are rarely caught	а	Individuals < size at maturity are regularly caught.	а	Individuals < size at maturity are frequently caught
Potential of the gear to retain species	ь	Individuals < size at maturity can escape or avoid gear.	ь	Individuals < half the size at maturity can escape or avoid gear.	ь	Individuals < half the size at maturity are retained by gear.
Post-capture mortality (PCM) The chance that, if captured, a species would be released and that it would be in a condition permitting subsequent survival	re	vidence of majority leased post-capture d survival.	rel	idence of some eased post-capture d survival.	m	etained species or ajority dead when leased.

Marine Ingredients Certifications Ltd (09357209) | Doc FISH1- Issued October 2022 – Version 2.3 | Approved by Libby Woodhatch Controlled Copy- No unauthorised copying or alteration permitted



D3		Average Susceptibility	Score	
		1 - 1.75	1.76 - 2.24	2.25 - 3
Average Productivity	1 - 1.75	PASS	PASS	PASS
Score	1.76 - 2.24	PASS	PASS	TABLE D4
	2.25 - 3	PASS	TABLE D4	TABLE D4

D4	Spe	cies Name	
	Impac	ts On Species Categorised as Vuln	erable by D1-D3 - Minimum Requirements
	D4.1	The potential impacts of the fis	hery on this species are considered during the management
		process, and reasonable measur	es are taken to minimise these impacts.
	D4.2	There is no substantial evidence	e that the fishery has a significant negative impact on the
		species.	
			Outcome:
		easures are taken to minimise the	se impacts.
		o substantial evidence that the f	ishery has a significant negative impact on the species.
Refere		o substantial evidence that the f	ishery has a significant negative impact on the species.
Links	ences		
Links Marin	ences Trust Sta	no substantial evidence that the f	1.3.2.2, 4.1.4
Links	ences Trust Sta		