

IFFO RSGlobal Standard for Responsible Supply of Marine Ingredients

IFFO RS Limited

T: +44 (0) 2030 539 195 E: Standards@iffors.com W: www.iffors.com

Unit C, Printworks | 22 Amelia Street London, SE17 3BZ | United Kingdom






Global Standard for
Responsible Supply
of Marine Ingredients
Fishery Assessment
Methodology and Template
Report V2.0



IFFO RSGlobal Standard for Responsible Supply of Marine Ingredients



Fishery Under Assessment	Skipjack tuna <i>Katsuwonus Pelamis</i> FAO 51 (Western Indian Ocean)		
Date	December 2018		
Assessor	Conor Donnelly		

Application details and summary of the assessment outcome					
Name: Marine Biotechnology Products (MBP) Mauritius					
Address: New Trunk Road, Port Louis					
Country: Mauritius		Zip:			
Tel. No.:		Fax. No.:			
Email address:	nail address: Applicant Code				
Key Contact :		Title:			
Certification Body Details					
Name of Certification	Name of Certification Body: SAI Global				
Assessor Name	Peer Reviewer			Whole fish/ By- product	
Conor Donnelly	Sam Dignan	1	Surveillance	e	By-product
Assessment Period	2018				

Scope Details		
Management Authority (Country/State)	Indian Ocean Tuna Commission (IOTC)	
Main Species	Skipjack tuna Katsuwonus pelamis	
Fishery Location	FAO 51 Indian Ocean, Western	
Gear Type(s)	Purse seine, gillnet, pole and line	
Outcome of Assessment		
Overall Outcome	Pass	
Clauses Failed	None	
Peer Review Evaluation	Agree with Assessor's determination.	
Recommendation	Approval	

Assessment Determination

Skipjack tuna in the Indian Ocean are considered a single stock for stock assessment purposes. They are managed by the Regional RFMO, the Indian Ocean Tuna Commission, resolutions are binding on its members. Scientific advice is provided by the IOTC's Scientific Committee. The latest stock assessment was undertaken in 2017.

Skipjack tuna in the Indian Ocean is subject to a species-specific management regime and so is assessed under clause C. Fishery removals of skipjack tuna are included in the stock assessment process and the stock is considered, in its most recent assessment, to have a biomass above its limit reference point.

Due to its specific life traits, skipjack can respond quickly to ambient foraging conditions driven by ocean productivity. Environmental indicators should be closely monitored in future to inform on the potential increase/decrease of stock productivity.

There is a ban on discarding tropical tuna (bigeye, skipjack and yellowfin) caught in purse seine fisheries and the use of artificial lights and aircraft are also prohibited in purse seine fisheries. There is uncertainty surrounding reported catches from the coastal fisheries of Sri Lanka, Comoros and Madagascar. Observer coverage is low in the purse seine fishery (5%) and much lower than levels mandated by other RFMO's. Interactions between sea turtles, sharks and other fish occur in associated purse seine fisheries.

In the assessment area the Maldives Pole and Line fishery (FAO 51) is currently MSC certified. The Sustainable Indian Ocean Tuna Initiative (SIOTI) has been jointly established by key regional governments, local processors, producers' organisations and their fishing vessels with the support of WWF. The goal is to reach MSC Certification (Purse seine, FAO 51, Skipjack, Yellowfin, Bigeye) by 2022. Some recent progress has been noted (R5).

Skipjack tuna is categorised as of least concern on IUCN's Red List of Threatened Species and is not listed on CITES appendices of endangered species (http://www.iucnredlist.org/details/170310/0, global assessment undertaken in 2010).

Skipjack tuna in the Western Indian Ocean is recommended for approval as by-product material under IFFO RS Standard v 2.0 for the production of fishmeal and fish oil.

Peer Review Comments

Agree with Assessor's determination.

Notes for On-site Auditor

Species-Specific Results

Category	Species	% landings	Outcome (Pass/Fail)
			A1
Cotocomi			A2
Category A			A3
			A4
Category B			
Category C	Skipjack tuna Katsuwonus pelamis	N/A	Pass
Category D			

[List all Category A and B species. List approximate total % age of landings which are Category C and D species; these do not need to be individually named here]

HOW TO COMPLETE THIS ASSESSMENT REPORT

This assessment template uses a modular approach to assessing fisheries against the IFFO RS standard.

Whole Fish

The process for completing the template for a **whole fish** assessment is as follows:

- 1. ALL ASSESSMENTS: Complete the Species Characterisation table, to determine which categories of species are present in the fishery.
- 2. ALL ASSESSMENTS: Complete clauses M1, M2, M3: Management.
- 3. IF THERE ARE CATEGORY A SPECIES IN THE FISHERY: Complete clauses A1, A2, A3, A4 for each Category A species.
- 4. IF THERE ARE CATEGORY B SPECIES IN THE FISHERY: Complete the Section B risk assessment for **each** Category B species.
- 5. IF THERE ARE CATEGORY C SPECIES IN THE FISHERY: Complete clause C1 for **each** Category C species.
- 6. IF THERE ARE CATEGORY D SPECIES IN THE FISHERY: Complete Section D.
- 7. ALL ASSESSMENTS: Complete clauses F1, F2, F3: Further Impacts.

A fishery must score a pass in **all applicable clauses** before approval may be recommended. To achieve a pass in a clause, the fishery/species must meet **all** of the minimum requirements.

By-products

The process for completing the template for **by-product raw material** is as follows:

- 1. ALL ASSESSMENTS: Complete the Species Characterisation table with the names of the by-product species and stocks under assessment. The '% landings' column can be left empty; all by-products are considered as Category C and D.
- 2. IF THERE ARE CATEGORY C BYPRODUCTS UNDER ASSESSMENT: Complete clause C1 for **each** Category C by-product.
- 3. IF THERE ARE CATEGORY D BYPRODUCTS UNDER ASSESSMENT: Complete Section D.
- 4. ALL OTHER SECTIONS CAN BE DELETED. Clauses M1 M3, F1 F3, and Sections A and B do not need to be completed for a by-product assessment.

By-product approval is awarded on a species-by-species basis. Each by-product species scoring a pass under the appropriate section may be approved against the IFFO RS Standard.

Version No.: 2.0 Date: July 2017 Page 4

SPECIES CATEGORISATION

The following table should be completed as fully as the available information permits. Any species representing more than 0.1% of the annual catch should be listed, along with an estimate of the proportion of the catch each species represents. The species should then be divided into Type 1 and Type 2 as follows:

- **Type 1 Species** can be considered the 'target' or 'main' species in the fishery. They make up the bulk of annual landings and are subjected to a detailed assessment.
- **Type 2 Species** can be considered the 'bycatch' or 'minor' species in the fishery. They make up a small proportion of the annual landings and are subjected to relatively high-level assessment.

Type 1 Species must represent 95% of the total annual catch. Type 2 Species may represent a maximum of 5% of the annual catch (see Appendix B).

Species which make up less than 0.1% of landings do not need to be listed (NOTE: ETP species are considered separately). The table should be extended if more space is needed. Discarded species should be included when known.

The 'stock' column should be used to differentiate when there are multiple biological or management stocks of one species captured by the fishery. The 'management' column should be used to indicate whether there is an adequate management regime specifically aimed at the individual species/stock. In some cases it will be immediately clear whether there is a species-specific management regime in place (for example, if there is an annual TAC). In less clear circumstances, the rule of thumb should be that if the species meets the minimum requirements of clauses A1-A4, an adequate species-specific management regime is in place.

NOTE: If any species is categorised as Endangered or Critically Endangered on the IUCN Red List, or if it appears in the CITES appendices, it **cannot** be approved for use as an IFFO RS raw material. This applied to whole fish as well as by-products.

TYPE 1 SPECIES (Representing 95% of the catch or more)

Category A: Species-specific management regime in place.

Category B: No species-specific management regime in place.

TYPE 2 SPECIES (Representing 5% OF THE CATCH OR LESS)

Category C: Species-specific management regime in place.

Category D: No species-specific management regime in place.

Common name	Latin name	Stock	% of landings	Management	Category
Skipjack tuna	Katsuwonus pelamis	FAO 51	N/A	IOTC	С

Version No.: 2.0 Date: July 2017 Page 5

CATEGORY C SPECIES

In a whole fish assessment, Category C species are those which make up less than 5% of landings, but which are subject to a species-specific management regime. In most cases this will be because they are a commercial target in a fishery other than the one under assessment. In a by-product assessment, Category C species are those which are subject to a species-specific management regime, and are usually targeted species in fisheries for human consumption.

Clause C1 should be completed for **each** Category C species. If there are no Category C species in the fishery under assessment, this section can be deleted. A Category C species does not meet the minimum requirements of clause C1 should be re-assessed as a Category D species.

Spec	Species Name Skipjack tuna Katsuwonus pelamis				
C 1	C1 Category C Stock Status - Minimum Requirements				
	C1.1	Fishery ren	Fishery removals of the species in the fishery under assessment are included in the Pass		
	stock assessment process, OR are considered by scientific authorities to be negligible.				
	C1.2	The species is considered, in its most recent stock assessment, to have a biomass Pass			
	above the limit reference point (or proxy), OR removals by the fishery under				
	assessment are considered by scientific authorities to be negligible.				
			Clause outcome:	Pass	

Evidence

C1.1:

Skipjack tuna is managed by the RFMO, the Indian Ocean Tuna Commission and its resolutions are binding on its members. Scientific advice is provided by the IOTC's Scientific Committee supported by working parties. Skipjack tuna fall within the remit of the Working Party on Tropical Tunas (WPTT).

Skipjack tuna in the Indian Ocean are considered a single stock for stock assessment purposes. The latest stock assessment was undertaken in 2017. Stock status was estimated using 144 models (IO GRID) running a range of permutations of the parameters which included 2 CPUE options, 2 growth options, 3 values of stock recruit steepness amongst others. The advice on status of skipjack tuna was derived from the grid and agreed using an integrated statistical assessment method. 36 model formulations were used to ensure that the various plausible sources of uncertainty were incorporated and represented in the final result.

Fishery removals of the species in the fishery under assessment are included in the stock assessment process **R1**

C1.2:

In general, the data did not seem to be sufficiently informative to justify the selection of any individual model so the assessment results are shown as the median value of the grid and the range of values from the grid (**Table 1**). It was concluded that the grid based approach appears to well represent the large range of uncertainty in the assessment (**R1**).

Recent catches considered in the assessment are shown in Figure 1.

MSY-based reference points have been defined for the stock (<u>IOTC Resolution 15/10 on target and limit reference points and a decision framework</u>):

Stock Target Reference Point Limit Reference Point $B_{TARGET} = B_{MSY} \qquad \qquad B_{LIM} = 0.40 \ B_{MSY}$ Skipjack tuna $F_{TARGET} = F_{MSY} \qquad \qquad F_{LIM} = 1.50 \ F_{MSY}$

Where MSY-based reference points can't be robustly estimated alternate reference points, IOTC Resolution 15/10 specifies that they should be defined as follows:

Version No.: 2.0 Date: July 2017 Page 6

"Biomass limit reference points will be set at a rate of B_0 . Unless the IOTC Scientific Committee advises the Commission of more suitable limit reference point for a particular species, by default, the interim B_{LIM} will be set at 0.2 B_0 and fishing mortality rate limit reference point at $F_{0.2 B_0}$ (the value corresponding to this biomass limit reference point). These interim limit reference points will be reviewed no later than 2018."

Where the IOTC Scientific Committee considers that MSY-based reference points cannot be robustly estimated, target reference points based on the depletion proportion (i.e. reference points with respect to the ratio of current biomass to B_0 , B_0 being the virgin biomass estimate) should be used as a basis for B_{TARGET} and F_{TARGET} , as follows:

- a) the interim biomass target reference point B_{TARGET} could be set at a ratio of B_0 , the virgin biomass;
- b) the interim fishing mortality rate target reference point F_{TARGET} could be set at a level consistent with the target biomass reference point, the fishing mortality rate corresponding then to the adopted ratio of B_0 , the virgin biomass)."

The latest assessment found current spawning biomass to be at the target reference point of 40% of SB_0 , and above the limit reference point of $0.2*SB_0$ (Figure 2 and Table 1) as per Resolution 15/10.

Fishery removals of skipjack tuna are included in the stock assessment process and the stock is considered, in its most recent assessment, to have a biomass above its limit reference point. It passes clause C.




Figure 1. Annual catches of skipjack tuna by gear (1950–2016). Definition of fisheries: **Gillnet**, including offshore gillnet; **Pole-and-Line**; Purse seine free-school (**FS**); Purse seine associated school (**LS**); **Other gears** (e.g., troll line, hand line, beach seine, Danish seine, lift net). Source: IOTC, 2017b. **R1**

Table 1. Skipjack tuna: Status of skipjack tuna in the Indian Ocean. Source: IOTC, 2017b. R1

Indicators		2017 stock status determination
Catch 2016 ² : Average catch 2012–2016:	446,723 t 407,456 t	
Yield _{40%SSB} (1000 t) (80% CI): C ₂₀₁₆ /C _{40%SSB} (80% CI): SB ₂₀₁₆ (1000 t) (80% CI): Total biomass B ₂₀₁₆ (1000 t) (80% CI): SB ₂₀₁₆ /SB _{40%SSB} (80% CI): SB ₂₀₁₆ /SB ₀ (80% CI): E ³ _{400/CCD} (80% CI):	510.1 (455.9–618.8) 0.88 (0.72-0.98) 796.66 (582.65-1,059.29) 910.4 (873.6-1195) 1.00 (0.88–1.17) 0.40 (0.35–0.47) 0.59 (0.53-0.65)	47%
	Catch 2016 ² : Average catch 2012–2016: Yield _{40%SSB} (1000 t) (80% CI): C2016/C40%SSB (80% CI): SB ₂₀₁₆ (1000 t) (80% CI): Total biomass B ₂₀₁₆ (1000 t) (80% CI): SB ₂₀₁₆ /SB _{40%SSB} (80% CI):	$\begin{array}{c} \text{Catch 2016}^2: & 446,723 \text{ t} \\ \text{Average catch 2012-2016:} & 407,456 \text{ t} \\ \text{Yield}_{40\%SSB} (1000 \text{ t}) (80\% \text{ CI}): & 510.1 (455.9-618.8) \\ \text{C}_{2016}\text{C}_{40\%SSB} (80\% \text{ CI}): & 510.1 (455.9-618.8) \\ \text{C}_{2016}\text{C}_{40\%SSB} (80\% \text{ CI}): & 0.88 (0.72-0.98) \\ \text{SB}_{2016} (1000 \text{ t}) (80\% \text{ CI}): & 796.66 (582.65-1,059.29) \\ \text{Total biomass B}_{2016} (1000 \text{ t}) (80\% \text{ CI}): & 910.4 (873.6-1195) \\ \text{SB}_{2016}\text{SB}_{40\%SSB} (80\% \text{ CI}): & 1.00 (0.88-1.17) \\ \text{SB}_{2016}\text{SB}_{016} (80\% \text{ CI}): & 0.40 (0.35-0.47) \\ \text{E}_{340\%SSB} (80\% \text{ CI}): & 0.59 (0.53-0.65) \\ \end{array}$

Colour key	Stock overfished (SB _{year} /SB _{40%} < 1)	Stock not overfished (SB _{year} /SB _{40%} \geq 1)
Stock subject to overfishing(F _{year} /F _{40%} > 1)	38%	2%
Stock not subject to overfishing (F _{year} /F _{40%} ≤ 1)	13%	47%
Not assessed/Uncertain		

¹ Boundaries for the Indian Ocean stock assessment are defined as the IOTC area of competence.
² Proportion of catch estimated or partially estimated by IOTC Secretariat in 2016: 22%
³ E is the annual harvest rate




Figure 2. Skipjack tuna: SS3 Aggregated Indian Ocean assessment Kobe plot of the 2017 uncertainty grid. Black circles indicate the trajectory of the median estimates for the SB/SBtarget ratio and E/Etarget ratio across all models of the 2017 uncertainty grid for each year 1950–2016; grey dots are the estimates for year 2016 from individual models. Source: IOTC, 2017b.

References

R1 IOTC, 2017a. Skipjack tuna supporting information. Updated December 2017.

 $\frac{http://www.iotc.org/sites/default/files/documents/science/species_summaries/english/Skipjack_tuna_Supporting_information.pdf$

R2 IOTC, 2017b. Executive summary – Skipjack tuna. Updated December, 2017.

http://www.iotc.org/sites/default/files/documents/science/species_summaries/english/Skipjack_tuna.pdf

R3: Fishsource; Skipjack Tuna Indian Ocean: https://www.fishsource.org/stock_page/1040

R4: MSC Track a Fishery: Maldives Pole and Line Tuna: https://fisheries.msc.org/en/fisheries/maldives-pole-line-tuna/@@view

R5: Fishery Progress: SIOTI Indian Ocean FIP https://fisheryprogress.org/fip-profile/indian-ocean-tuna-purse-seine-sioti

Standard clauses 1.3.2.2