



MarinTrust Standard V2

By-product Fishery Assessment Indian Mackerel, FAO 61,67 Pacific North West, Western Central

MarinTrust Programme

Unit C, Printworks 22 Amelia Street London SE17 3BZ

E: standards@marin-trust.com

T: +44 2039 780 819



Table 1 Application details and summary of the assessment outcome

	Species:	Indian Mackerel (Rastrelliger kanagurta)	
	Geographical area:	FAO 61, 67	
Fishery Under Assessment	Country of origin of the product:	Thailand	
	Stock:	Pacific Northwest, Western Central	
Date	January 2023		
Report Code	THA32		
Assessor	Vineetha Aravind		
Country of origin of the product - PASS	Thailand		
Country of origin of the product - FAIL	NA		

Application details an	d summary of the asses	ssment outcome	e	
Company Name(s): So	outh East Asian Packagi	ing and Canning	Ltd T. C. Union Agrotech Co, ltd	
Country: Thailand				
Email address:		Applicant Coc	le:	
Certification Body Det	ails			
Name of Certification Body:		LRQA		
Assessor	Peer Reviewer	Assessment Days	Initial/Surveillance/ Re-approval	
Vineetha Aravind	Kate Morris	0.5	Surveillance 1	
Assessment Period	Jan 2023- Jan 2024			

Scope Details	
Main Species	Indian Mackerel (Rastrelliger kanagurta)
Stock	Pacific Northwest, Western Central
Fishery Location	FAO 61,67
Management Authority (Country/ State)	Thailand
Gear Type(s)	Pelagic trawls
Outcome of Assessment	
Peer Review Evaluation	Pass
Recommendation	Pass



Table 2. Assessment Determination

Assessment Determination

Indian Mackerel has been categorised as Data Deficient by IUCN Red data List and does not appear in CITES appendices. Therefore, it is eligible for approval for use as Marine Trust raw material.

Thailand has a national fishery management framework, but this is not specifically designed for Indian Mackerel. Species specific research is extremely limited. Reference points are not defined and there are no species-specific management measures. Therefore, following Marin Trust criteria, the stock is classified as Category D.

The fishery was assessed using the risk-based Productivity, Susceptibility Analysis (PSA) approach as per Marin Trust v 2.0 procedures for Category D species.

Table D1 has shown a score of 1.28 for Productivity Attributes and a score of 2.75 for Susceptibility Attributes. As per Table D3 this is a Pass.

Therefore, Indian Mackerel in FAO Areas 61 and 67 is APPROVED by the assessor in the assessment area for the production of fishmeal and fish oil under the current Marin Trust v 2.0 by-products standard.

Fishery Assessment Peer Review Comments

The by-product fishery under assessment here is the Indian mackerel (*Rastrelliger kanagurta*) fishery, pursued by vessels in FAO fishing area 61 and 67. Indian Mackerel is managed by the Thai government. For this Marin Trust assessment, the Indian Mackerel stock is scored against Category D because it is not managed to species specific reference points.

The species scoring table has been completed by the auditor with sufficient evidence presented to support their final determination.

The peer review supports the auditor's recommendation to pass the FAO 61 and 67, Indian Mackerel stock, pursued by the fishery under the Marin Trust IFFO RS v2.0 by-fishery standard for the production of fishmeal and fish oil.



Species Categorisation

NB: If any species is categorised as Endangered or Critically Endangered on the IUCN Red List, or if it appears in CITES Appendix 1, it **cannot** be approved for use as an MarinTrust raw material.

IUCN Red list Category

By-product material from a species listed by IUCN (the International Union for Conservation of Nature) under the Red List for the following categories shall immediately fail the assessment;

- EXTINCT (E) AND EXTINCT IN THE WILD (EW)
- CRITICALLY ENDANGERED (CR) facing an extremely high risk of extinction in the wild.
- ENDANGERED (EN) facing a very high risk of extinction in the wild.

By-product material may be used from the following categories provided that all clauses in the MarinTrust standard are passed.

- VULNERABLE (VU) facing a high risk of extinction in the wild.
- NEAR THREATENED (NT) does not qualify for above now, but is close or is likely to qualify for, a threatened category in the near future.
- LEAST CONCERN (LC) Widespread and abundant.
- DATA DEFICIENT (DD) and NOT EVALUATED (NE)

Table 3 Species Categorisation Table

Common name	Latin name	Stock	Management	Category	IUCN Red List Category ¹	CITES Appendix 1 ²
Indian Mackerel	Rastrelliger kanagurta	Pacific Northwest, Western Central	Thailand	D	DD	No

¹ https://www.iucnredlist.org/

² https://cites.org/eng/app/appendices.php

³ https://www.iucnredlist.org/species/170328/6750032



CATEGORY C SPECIES

In a by-product assessment, Category C species are those which are subject to a species-specific management regime and are usually targeted species in fisheries for human consumption.

Clause C1 should be completed for each Category C species. If there are no Category C species in the fishery under assessment, this section can be deleted. Where a species fails this Clause, it should be assessed as a Category D species instead.

Spe	ecies	Name			
C1	Catego	y C Stock Status - Minimum Requirements			
CI	C1.1	Fishery removals of the species in the fishery under assessment are included in the stock assessment N	lo		
		process, OR are considered by scientific authorities to be negligible.			
	C1.2		10		
	reference point (or proxy), OR removals by the fishery under assessment are considered by scientific authorities to be negligible.				
		Clause outcome: N	No		
), OR re	es is considered, in its most recent stock assessment, to have a biomass above the limit reference po lovals by the fishery under assessment are considered by scientific authorities to be negligible.	oint (or		
Links					
Marin	Trust St	ndard clause 1.3.2.2			
FAO C	CRF	7.5.3			
GSSI		D.3.04, D5.01			



CATEGORY D SPECIES

uncertainty affecting your decision

Category D species are those which are not subject to a species-specific management regime. In the case of mixed trawl fisheries, Category D species may make up the majority of landings. The comparative lack of scientific information on the status of the population of the species means that a risk-assessment style approach must be taken.

Species Name			
Productivity Attribute	Value	Score	
Average age at maturity (years)	2.5	1	
Average maximum age (years)	4	1	
Fecundity (eggs/spawning)	37690-170455	2	
Average maximum size (cm)	25 cm	1	
Average size at maturity (cm)	19.9 cm	1	
Reproductive strategy	Broadcast spawner	1	
Mean trophic level	3.2	2	
	Average Productivity Score	1.28	
Susceptibility Attribute	Value	Score	
Availability (area overlap)	10-30% overlap	2	
Encounterability (the position of the stock/species within the water column relative to the fishing gear)	Targeted	3	
Selectivity of gear type	Retained	3	
Post-capture mortality	Retained	3	
	Average Susceptibility Score	2.75	
	PSA Risk Rating (From Table D3)	PASS	
	Compliance rating	PASS	

References



*Figure 1. Distribution maps for Rastrelliger kanagurta (Indian mackerel), with modelled year 2050 native range map based on IPCC RCP8.5 emissions scenario. www.aquamaps.org, version 10/2019

Standard clauses 1.3.2.2



Table D2 - Productivity / Susceptibility attributes and scores.

Productivity attributes	High productivity (Low risk, score = 1)	Medium productivity (medium risk, score = 2)	Low productivity (high risk, score = 3)
Average age at maturity	<5 years	5-15 years	>15 years
Average maximum age	<10 years	10-25 years	>25 years
Fecundity	>20,000 eggs per year	100-20,000 eggs per year	<100 eggs per year
Average maximum size	<100 cm	100-300 cm	>300 cm
Average size at maturity	<40 cm	40-200 cm	>200 cm
Reproductive strategy	Broadcast spawner	Demersal egg layer	Live bearer
Mean Trophic Level	<2.75	2.75-3.25	>3.25

Susceptibility attributes		ow susceptibility ow risk, score = 1)		edium susceptibility nedium risk, score = 2)		igh susceptibility igh risk, score = 3)	
Areal overlap (availability) Overlap of the fishing effort with the species range	<10% overlap		10	10-30% overlap		>30% overlap	
Encounterability The position of the stock/species within the water column relative to the fishing gear, and the position of the stock/species within the habitat relative to the position of the gear	fis	w overlap with hing gear (low counterability).		Medium overlap with fishing gear.		High overlap with fishing gear (high encounterability). Default score for target species	
Selectivity of gear type	а	Individuals < size at maturity are rarely caught	а	Individuals < size at maturity are regularly caught.	а	Individuals < size at maturity are frequently caught	
Potential of the gear to retain species	b Ind	Individuals < size at maturity can escape or avoid gear.	Ь	Individuals < half the size at maturity can escape or avoid gear.	b	Individuals < half the size at maturity are retained by gear.	
Post-capture mortality (PCM) The chance that, if captured, a species would be released and that it would be in a condition permitting subsequent survival	re	ridence of majority eased post-capture d survival.	rel	idence of some eased post-capture d survival.	m	etained species or ajority dead when leased.	



D3		Average Susceptibility Score			
		1 - 1.75	1.76 - 2.24	2.25 - 3	
Average Productivity	1 - 1.75	PASS	PASS	PASS	
Score	1.76 - 2.24	PASS	PASS	TABLE D4	
	2.25 - 3	PASS	TABLE D4	TABLE D4	

D4	Spe	cies Name					
	Impac	ts On Species Categorise	ed as Vulnerable by D1-D3 - Minimum Requirements				
	D4.1 The potential impacts of the fishery on this species are considered during the management process, and reasonable measures are taken to minimise these impacts.						
	D4.2 There is no substantial evidence that the fishery has a significant negative impact on the species.						
			Outcome:				
		easures are taken to mir	nimise these impacts. that the fishery has a significant negative impact on the species.				
Refere	ences						
Refere	ences						
Links		andard clause	1.3.2.2, 4.1.4				
Links	Trust Sta		1.3.2.2, 4.1.4 7.5.1				