



MarinTrust Standard V2

By-product Fishery Assessment USA19 – Skipjack tuna in FAO Areas 77 & 87 (Eastern Pacific Ocean skipjack)

MarinTrust Programme

Unit C, Printworks 22 Amelia Street London SE17 3BZ

E: standards@marin-trust.com

T: +44 2039 780 819



Table 1 Application details and summary of the assessment outcome

	Species:	Skipjack tuna (Katsuwonus pelamis)		
	Geographical area:	FAO Area 77, 87		
Fishery Under Assessment	Country of origin of the product:	Seychelles, South Africa		
	Stock:	Eastern Pacific Ocean (EPO) skipjack		
Date		June 2023		
Report Code	USA19			
Assessor	Sam Peacock			
Country of origin of the product - PASS	Seychelles, South Africa			
Country of origin of the product - FAIL		n/a		

Application details and summary of the assessment outcome									
Company Name(s): The Scoular Company - Indian Ocean Tuna Ltd									
Country: USA									
Email address:		Applicant Code	e:						
Certification Body Deta	ails								
Name of Certification I	Body:	LRQA							
		Assessment	Initial/Surveillance/						
Assessor Peer Reviewer		Days	Re-approval						
Sam Peacock	Kate Morris	0.2	Initial						
Assessment Period	June 2023 – June 2024								

Scope Details	
Main Species	Skipjack tuna (Katsuwonus pelamis)
Stock	EPO skipjack
Fishery Location	FAO Areas 77, 87
Management Authority (Country/ State)	Inter-American Tropical Tuna Commission (IATTC)
Gear Type(s)	Longline, pole and line, purse seine
Outcome of Assessment	
Peer Review Evaluation	Pass
Recommendation	Pass



Table 2. Assessment Determination

Assessment Determination

Skipjack tuna has been categorised by the IUCN as a species of Least Concern, and it does not appear in the CITES appendices. Skipjack in the Eastern Pacific Ocean (EPO) is managed relative to proxy reference points by the Inter-American Tropical Tuna Commission (IATTC), and was thus assessed under Category C.

The most recent stock assessment for skipjack in the EPO was conducted in 2021, using all available catch information. Although there are considerable uncertainties associated with the assessment, it is considered reliable for use to produce management advice. The results of the 2021 assessment indicated a low probability that stock biomass is currently below the target reference point, and therefore a very low probability it is below any potential limit reference point. Skipjack in the EPO meets the MT byproduct requirements and should be approved for use as a raw material.

Fishery Assessment Peer Review Comments

The by-product fishery under assessment here is the Skipjack tuna (*Katsuwonus pelamis*) fishery, pursued by vessels in FAO fishing area 77 & 87. Skipjack tuna is managed by international or state regulations. Therefore, for this Marin Trust assessment, the skipjack tuna stock is scored against Category C.

The species scoring table has been completed by the auditor with sufficient evidence presented to support their final determination.

The peer review supports the auditor's recommendation to pass the FAO 77 & 87, Skipjack tuna stock pursued by the fishery under the Marin Trust IFFO RS v2.0 by-fishery standard for the production of fishmeal and fish oil.



Species Categorisation

NB: If any species is categorised as Endangered or Critically Endangered on the IUCN Red List, or if it appears in CITES Appendix 1, it **cannot** be approved for use as an MarinTrust raw material.

IUCN Red list Category

By-product material from a species listed by IUCN (the International Union for Conservation of Nature) under the Red List for the following categories shall immediately fail the assessment;

- EXTINCT (E) AND EXTINCT IN THE WILD (EW)
- CRITICALLY ENDANGERED (CR) facing an extremely high risk of extinction in the wild.
- ENDANGERED (EN) facing a very high risk of extinction in the wild.

By-product material may be used from the following categories provided that all clauses in the MarinTrust standard are passed.

- VULNERABLE (VU) facing a high risk of extinction in the wild.
- NEAR THREATENED (NT) does not qualify for above now, but is close or is likely to qualify for, a threatened category in the near future.
- LEAST CONCERN (LC) Widespread and abundant.
- DATA DEFICIENT (DD) and NOT EVALUATED (NE)

Table 3 Species Categorisation Table

Common name	Latin name	Stock	Management	Category	IUCN Red List Category ¹	CITES Appendix 1 ²
Skipjack tuna	Katsuwonus pelamis	EPO Skipjack	Yes	С	Least Concern ³	No

¹ https://www.iucnredlist.org/

² https://cites.org/eng/app/appendices.php

³ https://www.iucnredlist.org/species/170310/46644566



CATEGORY C SPECIES

In a by-product assessment, Category C species are those which are subject to a species-specific management regime and are usually targeted species in fisheries for human consumption.

Clause C1 should be completed for each Category C species. If there are no Category C species in the fishery under assessment, this section can be deleted. Where a species fails this Clause, it should be assessed as a Category D species instead.

Spe	ecies	Name	Skipjack tuna	
C1	Categ	ory C Stock Sta	atus - Minimum Requirements	
CI	C1.1		ovals of the species in the fishery under assessment are included in the stock assessment are considered by scientific authorities to be negligible.	PASS
	C1.2	reference po	s considered, in its most recent stock assessment, to have a biomass above the limit int (or proxy), OR removals by the fishery under assessment are considered by scientific be negligible.	PASS
			Clause outcome:	PASS


C1.1 Fishery removals of the species in the fishery under assessment are included in the stock assessment process, OR are considered by scientific authorities to be negligible.

EPO skipjack is subject to regular integrated statistical age-structured catch-at-length stock assessments carried out by the IATTC. Although the assessment is termed "interim" by IATTC staff, and it does contain significant sources of uncertainty, it is also considered to be reliable for the purposes of management decision-making (IATTC 2022). The assessment incorporates all available data from across the EPO, including catch data but also size and age frequency data and other sources. C1.1 is met.

C1.2 The species is considered, in its most recent stock assessment, to have a biomass above the limit reference point (or proxy), OR removals by the fishery under assessment are considered by scientific authorities to be negligible.

MSY-based estimates and reference points cannot be estimated due to the nature of the model used. Instead, the IATTC management process utilises a conservative proxy for target biomass of SBR = 0.3, with the fishing mortality corresponding to that target biomass used as the target reference point for fishing mortality (IATTC 2022). The reference model and most of the sensitivity analyses conducted in 2021 estimated that current stock biomass is above the target reference point and that fishing mortality is below the target reference point. Although there are no limit reference points established for the stock, the high probability that biomass is currently above the target reference point equates to a high probability that it is above any possible limit reference point. Therefore the byproduct meets the requirements of this clause and C1.2 is met.





Kobe plot for skipjack tuna in the EPO. Each dot represents the stock status estimate from one of the assessment models.

Dashed lines indicate the target reference points (IATTC 2022).

References

IATCC (2022). Report on the tuna fishery, stocks, and ecosystem in the Eastern Pacific Ocean in 2021. https://www.iattc.org/GetAttachment/99dc87b3-cf5f-4b7b-8e6e-f5aa9cab0fce/No-20-2022_Tunas,-stocks-and-ecosystem-in-the-eastern-Pacific-Ocean-in-2021.pdf

Links	
MarinTrust Standard clause	1.3.2.2
FAO CCRF	7.5.3
GSSI	D.3.04, D5.01



CATEGORY D SPECIES

Category D species are those which are not subject to a species-specific management regime. In the case of mixed trawl fisheries, Category D species may make up the majority of landings. The comparative lack of scientific information on the status of the population of the species means that a risk-assessment style approach must be taken.

D1	Species Name	n/a	
	Productivity Attribut	e Value	Score
	Average age at maturity (years)		
	Average maximum age (years)		
	Fecundity (eggs/spawning)		
	Average maximum size (cm)		
	Average size at maturity (cm)		
	Reproductive strategy		
	Mean trophic level		
		Average Productivity Score	
	Susceptibility Attribu	te Value	Score
	Availability (area overlap)		
	Encounterability (the position of the s	tock/species	
	within the water column relative to the	ne fishing gear)	
	Selectivity of gear type		
	Post-capture mortality		
		Average Susceptibility Score	
		PSA Risk Rating (From Table D3)	
		Compliance rating	
	Further justification for susceptibility	scoring (where relevant)	
		ovide a brief rationale for scoring of parameters wher	re there may be
	uncertainty affecting your decision		
Refere	nces		
	11003		
Stando	urd clauses 1.3.2.2		



Table D2 - Productivity / Susceptibility attributes and scores.

Productivity attributes	High productivity (Low risk, score = 1)	Medium productivity (medium risk, score = 2)	Low productivity (high risk, score = 3)
Average age at maturity	<5 years	5-15 years	>15 years
Average maximum age	<10 years	10-25 years	>25 years
Fecundity	>20,000 eggs per year	100-20,000 eggs per year	<100 eggs per year
Average maximum size	<100 cm	100-300 cm	>300 cm
Average size at maturity	<40 cm	40-200 cm	>200 cm
Reproductive strategy	Broadcast spawner	Demersal egg layer	Live bearer
Mean Trophic Level	<2.75	2.75-3.25	>3.25

Susceptibility attributes		ow susceptibility ow risk, score = 1)		edium susceptibility nedium risk, score = 2)		High susceptibility (high risk, score = 3)	
Areal overlap (availability) Overlap of the fishing effort with the species range	<1	<10% overlap		10-30% overlap		>30% overlap	
Encounterability The position of the stock/species within the water column relative to the fishing gear, and the position of the stock/species within the habitat relative to the position of the gear	on of the dies within column the fishing the position k/species habitat the position		High overlap with fishing gear (high encounterability). Default score for target species				
Selectivity of gear type	а	Individuals < size at maturity are rarely caught	а	Individuals < size at maturity are regularly caught.	а	Individuals < size at maturity are frequently caught	
Potential of the gear to retain species	b	Individuals < size at maturity can escape or avoid gear.	Ь	Individuals < half the size at maturity can escape or avoid gear.	b	Individuals < half the size at maturity are retained by gear.	
Post-capture mortality (PCM) The chance that, if captured, a species would be released and that it would be in a condition permitting subsequent survival	re	ridence of majority eased post-capture d survival.	rel	idence of some eased post-capture d survival.	m	etained species or ajority dead when leased.	



D3		Average Susceptibility Score			
		1 - 1.75	1.76 - 2.24	2.25 - 3	
Average Productivity	1 - 1.75	PASS	PASS	PASS	
Score	1.76 - 2.24	PASS	PASS	TABLE D4	
	2.25 - 3	PASS	TABLE D4	TABLE D4	

D4	Species Name		n/a					
	Impacts On Species Categorised as Vulnerable by D1-D3 - Minimum Requirements							
	D4.1 The potential impacts of the fishery on this species are considered during the management							
		process, and reasonab	ole measures are taken to minimise these impacts.					
D4.2 There is no substantial evidence that the fishery has a significant negative impact on the species.								
	•		Outcome:					
Eviden	nce							
D4.2 T	here is r	no substantial evidence	that the fishery has a significant negative impact on the species.					
Refere	ences							
Links								
Marin [*]	Trust Sta	andard clause	1.3.2.2, 4.1.4					
FAO C	CRF		7.5.1					

D.5.01

GSSI