



MarinTrust Standard V2

By-product Fishery Assessment USA22 – Bigeye tuna in FAO Areas 61, 71 & 81 (Western and Central Pacific Ocean bigeye)

MarinTrust Programme Unit C, Printworks 22 Amelia Street London SE17 3BZ

E: standards@marin-trust.com

T: +44 2039 780 819



Table 1 Application details and summary of the assessment outcome

	Species:	Bigeye tuna (<i>Thunnus obesus</i>)	
Fishery Under Assessment	Geographical area:	FAO Areas 61, 71, 81	
	Country of origin of the product:	USA [Seychelles, South Africa]	
	Stock:	Western and Central Pacific Ocean bigeye	
Date	June 2023		
Report Code	USA22		
Assessor		Sam Peacock	
Country of origin of the product - PASS	USA [Seychelles, South Africa]		
Country of origin of the product - FAIL		n/a	

Application details and	I summary of the assess	sment outcome							
Company Name(s): Th	Company Name(s): The Scoular Company - Indian Ocean Tuna Ltd (ID preserved)								
Country: USA									
Email address:		Applicant Code	e:						
Certification Body Deta	ails								
Name of Certification I	Body:	LRQA							
		Assessment	Initial/Surveillance/						
Assessor	Peer Reviewer	Days	Re-approval						
Sam Peacock Kate Morris 0.2 Initial									
Assessment Period		June 2023	– June 2024						

Scope Details	
Main Species	Bigeye tuna (<i>Thunnus obesus</i>)
Stock	Pacific Ocean bigeye
Fishery Location	FAO Areas 61, 71, 81
Management Authority (Country/ State)	Western and Central Pacific Fisheries Commission (WCPFC)
Gear Type(s)	Longline, baitboat, purse seine
Outcome of Assessment	
Peer Review Evaluation	Pass
Recommendation	Pass



Table 2. Assessment Determination

Assessment Determination

Bigeye tuna has been categorised by the IUCN Red List as Vulnerable, and does not appear in the CITES appendices. Bigeye in the Western and Central Pacific Ocean is managed relative to reference points by the Western and Central Pacific Fisheries Commission, and was therefore assessed under Category C.

The most recent stock assessment was conducted in 2020, and took into account all available catch data. The assessment concluded that there was a very high probability that the stock biomass was above the target reference point SB_{MSY}, and therefore also above any potential limit reference point. As the byproduct meets the MT requirements, it should be approved for use as a raw material in the manufacture of MT-certified marine ingredients.

Fishery Assessment Peer Review Comments

The by-product fishery under assessment here is the Bigeye tuna (*Thunnus obesus*) fishery, pursued by vessels in FAO fishing area 61, 71 and 81. Bigeye tuna is managed by international or state regulations. Therefore, for this Marin Trust assessment, the skipjack tuna stock is scored against Category C.

The species scoring table has been completed by the auditor with sufficient evidence presented to support their final determination.

The peer review supports the auditor's recommendation to pass the FAO 61, 71 and 81, Bigeye tuna stock pursued by the fishery under the Marin Trust IFFO RS v2.0 by-fishery standard for the production of fishmeal and fish oil.

Notes for On-site Auditor		



Species Categorisation

NB: If any species is categorised as Endangered or Critically Endangered on the IUCN Red List, or if it appears in CITES Appendix 1, it **cannot** be approved for use as an MarinTrust raw material.

IUCN Red list Category

By-product material from a species listed by IUCN (the International Union for Conservation of Nature) under the Red List for the following categories shall immediately fail the assessment;

- EXTINCT (E) AND EXTINCT IN THE WILD (EW)
- CRITICALLY ENDANGERED (CR) facing an extremely high risk of extinction in the wild.
- ENDANGERED (EN) facing a very high risk of extinction in the wild.

By-product material may be used from the following categories provided that all clauses in the MarinTrust standard are passed.

- VULNERABLE (VU) facing a high risk of extinction in the wild.
- NEAR THREATENED (NT) does not qualify for above now, but is close or is likely to qualify for, a threatened category in the near future.
- LEAST CONCERN (LC) Widespread and abundant.
- DATA DEFICIENT (DD) and NOT EVALUATED (NE)

Table 3 Species Categorisation Table

Common name	Latin name	Stock	Management	Category	IUCN Red List Category ¹	CITES Appendix 1 ²
Bigeye tuna	Thunnus obesus	Western and Central Pacific	Yes	С	Vulnerable ³	No

¹ https://www.iucnredlist.org/

² https://cites.org/eng/app/appendices.php

³ https://www.iucnredlist.org/species/21859/46912402



CATEGORY C SPECIES


In a by-product assessment, Category C species are those which are subject to a species-specific management regime and are usually targeted species in fisheries for human consumption.

Clause C1 should be completed for each Category C species. If there are no Category C species in the fishery under assessment, this section can be deleted. Where a species fails this Clause, it should be assessed as a Category D species instead.

Spe	ecies	Name	Bigeye tuna	
C1	Categ	ory C Stock Sta	atus - Minimum Requirements	
CI	C1.1 Fishery removals of the species in the fishery under assessment are included in the stock assessment process, OR are considered by scientific authorities to be negligible.		PASS	
	C1.2	reference po	s considered, in its most recent stock assessment, to have a biomass above the limit int (or proxy), OR removals by the fishery under assessment are considered by scientific o be negligible.	PASS
			Clause outcome:	PASS

C1.1 Fishery removals of the species in the fishery under assessment are included in the stock assessment process, OR are considered by scientific authorities to be negligible.

Bigeye tuna in the Western and Central Pacific Ocean is subject to regular stock assessment by the Western and Central Pacific Fisheries Commission. The most recent stock assessment was conducted in 2020, using data up to 2018. The assessment utilised all international catch data. 24 models were applied to take into account the main sources of uncertainty, and the results are presented alongside the likely confidence intervals (WCPFC 2021). All available catch data are incorporated into the assessment, and C1.1 is met.




Time series of total annual catch ('000t) by fishing gear for the diagnostic model over the full assessment period. Green = longline; red = pole and line; blue = purse seine (WCPFC 2021)

C1.2 The species is considered, in its most recent stock assessment, to have a biomass above the limit reference point (or proxy), OR removals by the fishery under assessment are considered by scientific authorities to be negligible.



The results of the most recent stock assessment produced an estimate of the current status of the stock relative to target reference point SB_{MSY} . The assessment concluded across all 24 models that the mean value of SB_{latest}/SB_{MSY} was 1.7, with an 80% certainty that it was between 1.23 and 2.15 (WCPFC 2021). This translates to a very high probability that stock biomass is above the target reference point SB_{MSY} , and therefore also above any potential limit reference point. C1.2 is met.



Western and Central Pacific bigeye tuna, Kobe plot for recent spawning potential (2015-2018) summarising the results for each of the models in the structural uncertainty grid. Median value is shown in blue (WCPFC 2021)

References

WCPFC (2021). WCPO bigeye tuna stock status and management advice. https://www.wcpfc.int/doc/01/bigeye-tuna

Links	
MarinTrust Standard clause	1.3.2.2
FAO CCRF	7.5.3
GSSI	D.3.04, D5.01



CATEGORY D SPECIES

Category D species are those which are not subject to a species-specific management regime. In the case of mixed trawl fisheries, Category D species may make up the majority of landings. The comparative lack of scientific information on the status of the population of the species means that a risk-assessment style approach must be taken.

D1	Species Name	n/a					
	Productivity Attribut	e Value	Score				
	Average age at maturity (years)						
	Average maximum age (years)						
	Fecundity (eggs/spawning)						
	Average maximum size (cm)						
	Average size at maturity (cm)						
	Reproductive strategy						
	Mean trophic level						
		Average Productivity Score					
	Susceptibility Attribu	te Value	Score				
	Availability (area overlap)						
	Encounterability (the position of the s						
	within the water column relative to the	e fishing gear)					
	Selectivity of gear type						
	Post-capture mortality						
		Average Susceptibility Score					
	PSA Risk Rating (From Table D3)						
	Compliance rating						
	Further justification for susceptibility scoring (where relevant) For susceptibility attributes, please provide a brief rationale for scoring of parameters where there may be						
	uncertainty affecting your decision						
Refere	ences						
Stando	ard clauses 1.3.2.2						



Table D2 - Productivity / Susceptibility attributes and scores.

Productivity attributes	High productivity (Low risk, score = 1)	Medium productivity (medium risk, score = 2)	Low productivity (high risk, score = 3)
Average age at maturity	<5 years	5-15 years	>15 years
Average maximum age	<10 years	10-25 years	>25 years
Fecundity	>20,000 eggs per year	100-20,000 eggs per year	<100 eggs per year
Average maximum size	<100 cm	100-300 cm	>300 cm
Average size at maturity	<40 cm	40-200 cm	>200 cm
Reproductive strategy	Broadcast spawner	Demersal egg layer	Live bearer
Mean Trophic Level	<2.75	2.75-3.25	>3.25

Susceptibility attributes Low susceptibility (Low risk, score = 1)			Medium susceptibility (medium risk, score = 2)		High susceptibility (high risk, score = 3)		
Areal overlap (availability) Overlap of the fishing effort with the species range	Areal overlap (availability) Overlap of the fishing effort with the species 410% overlap		10	10-30% overlap		>30% overlap	
Encounterability The position of the stock/species within the water column relative to the fishing gear, and the position of the stock/species within the habitat relative to the position of the gear		Medium overlap with fishing gear.		High overlap with fishing gear (high encounterability). Default score for target species			
Selectivity of gear type	а	Individuals < size at maturity are rarely caught	а	Individuals < size at maturity are regularly caught.	а	Individuals < size at maturity are frequently caught	
Potential of the gear to retain species	b	Individuals < size at maturity can escape or avoid gear.	Ь	Individuals < half the size at maturity can escape or avoid gear.	b	Individuals < half the size at maturity are retained by gear.	
Post-capture mortality (PCM) The chance that, if captured, a species would be released and that it would be in a condition permitting subsequent survival		Evidence of majority released post-capture and survival.		Evidence of some released post-capture and survival.		Retained species or majority dead when released.	



D3		Average Susceptibility Score			
		1 - 1.75	1.76 - 2.24	2.25 - 3	
Average Productivity	1 - 1.75	PASS	PASS	PASS	
Score	1.76 - 2.24	PASS	PASS	TABLE D4	
	2.25 - 3	PASS	TABLE D4	TABLE D4	

D4	D4 Species Name								
	Impac	pacts On Species Categorised as Vulnerable by D1-D3 - Minimum Requirements							
	D4.1	The potential impacts	of the fishery on this species are considered during the management						
		process, and reasonab	le measures are taken to minimise these impacts.						
	D4.2	There is no substantia species.	al evidence that the fishery has a significant negative impact on the						
			Outcome:						
Eviden	ice								
D4.2 T	here is r	no substantial evidence	that the fishery has a significant negative impact on the species.						
Refere	ences								
Links									
Marin [*]	Trust Sta	andard clause	1.3.2.2, 4.1.4						
FAO C	CRF		7.5.1						

D.5.01

GSSI